

L0990305026 La Salle County USEPA/ILLINOIS & MICHIGAN CANAL Superfund/HRS




TABLE OF CONTENTS

INTRODUCTION	
2.0 SITE BACKGROUND	L
2.1 INTRODUCTION	
3.0 SITE INSPECTION ACTIVITIES & ANALYTICAL RESULTS 3-1	L
3.1 INTRODUCTION	
4.0 IDENTIFICATION OF SOURCES4-1	L
4.1 INTRODUCTION	
5.0 MIGRATION PATHWAYS5-1	L
5.1 INTRODUCTION	
6.0 BIBLIOGRAPHY 6-1	
APPENDIXES	
SITE FOUR MILE RADIUS MAP & SURFACE WATER MAP A-1 USEPA FORM 2070-13	

LIST OF FIGURES

<u>Figure</u>		<u>Page</u>
2-1	STATE OF ILLINOIS LOCATION MAP	2-2
2-2	SITE LOCATION MAP	2-3
2-3	1958 AERIAL PHOTOGRAPH	2-6
2-4	1975 AERIAL PHOTOGRAPH	2-7
2-5	1988 AERIAL PHOTOGRAPH	2-8
2-6	1990 AERIAL PHOTOGRAPH	2-9
3-1	SAMPLING LOCATIONS	3-3
3-2	SAMPLING LOCATIONS	3-4
5-1	LA SALLE ANTICLINE CROSS-SECTION LOCATION MAP	5-3
5-2	GENERALIZED CROSS SECTION AT LA SALLE ANTICLINE	5-4
	LIST OF TABLES	
<u>Table</u>		<u>Page</u>
3-1	SOIL SAMPLE DESCRIPTIONS	3-5
3-2	WASTE SAMPLE DESCRIPTIONS	3-6
3-3	SAMPLTE SUMMARY	3-8
3-4	KEY SAMPLES	3-10

1. INTRODUCTION

On September 24, 1991 the Illinois Environmental Protection Agency's Pre-Remedial Program was tasked by the U.S. Environmental Protection Agency (USEPA) to conduct a screening site inspection of the USEPA/Illinois & Michigan Canal site in La Salle, Illinois.

The site was initially placed on CERCLIS (Comprehensive Environmental Response, Compensation & Liability Information System) in September of 1990 as a result of a request for discovery action initiated by the Illinois Environmental Protection Agency. The facility received its initial CERCLA evaluation in June of 1991, when Ms. Sheila Murphy of the Illinois EPA completed a formal Preliminary Assessment In March 1992, the Illinois EPA's Pre-Remedial program prepared and submitted to the Region V offices of the U.S. Environmental Protection Agency a screening site inspection work plan for USEPA/Illinois & Michigan Canal. The sampling portion of the screening site inspection was conducted on May 13, 1992 when the inspection team collected a total of eight soil/sediment and five waste samples. purpose of a Screening Site Inspection has been stated by USEPA in a directive outline of Pre-Remedial program The directive states: strategies.

All sites will receive a screening SI to 1) collect additional data beyond the PA to enable a more refined preliminary HRS (Hazard Ranking System) score, 2) establish priorities among sites most likely to qualify for the NPL (National Priorities List), and 3) identify the most critical data requirements for the Expanded SI step. A Screening SI will not have rigorous data quality objectives (DQOs). Based

on the refined preliminary HRS score and other technical judgement factors, the site will then either be designated as NFRAP (no further remedial action planned), or carried forward as an NPL listing candidate. An Expanded SI will not automatically be done on these sites, however. First, they will go through a management evaluation to determine whether they can be addressed by another authority such as RCRA (Resource Conservation and Recovery Act).... Sites that are designated NFRAP or deferred to other statutes are not candidates for an Expanded SI. The Expanded SI will address all the data requirements of the revised HRS using field screening and NPL level DQOs. It may also provide needed data in a format to support remedial investigation work plan development. Only sites that appear to score high enough for listing and that have not been deferred to another authority will receive an Expanded Site Inspection (USEPA 1988).

The Region V offices of the USEPA have also requested that the Illinois Environmental Protection Agency identify sites during the Screening Site Inspection that may require removal action to remediate an immediate human health and/or environmental threat.

2. SITE BACKGROUND

2.1 INTRODUCTION


This section includes information obtained over the course of the formal CERCLA Screening Site Inspection investigation, and previous Illinois Environmental Protection activities involving this site.


2.2 SITE DESCRIPTIONS

The USEPA/Illinois & Michigan Canal site consists of ten above ground storage tanks, ranging from about 2,000 to 10,000 gallons in size, and nine 55-gallon drums, all of which have been abandoned. The tanks sit on an area that is approximately 175 feet measuring from east to west and 50 feet measuring from north to south. The tanks and drums occupy the northern bluff, approximately seventy feet (varying on the water level), above the Illinois & Michigan Canal (I & M Canal). The less than one acre site is located south southwest of the intersection of extended Chartres and Brunner Streets along the southwest perimeter of La Salle's city limits.

The tanks are located in the extreme southwest corner of Section 15, Township 33 North, Range 1 East of La Salle County. (See Figure 2-1 and 2-2). A four mile radius map of lands surrounding the USEPA/I & M Canal site is provided in Appendix A of this report.

The tanks are situated on vacant property owned by the





SOURCE: IEPA, 1992. BASE MAP: USGS, 1966 LA SALLE, ILLINOIS 7.5 MINUTE QUADRANGLE

APPROXIMATE SCALE: 2 1/2" = 1 MILE

SITE TOPOGRAPHY

state of Illinois. The I & M Canal borders the southern edge of the site's locality. To the east of the site is more vacant land owned by the state of Illinois. This land is bordered by an inlet of the I & M Canal. The Tabor Grain facility sits on contiguous lands to the north and west of the site. The Tabor Grain Company is a subsidiary of Archer Daniel Midland Corporation (ADM)/ Growmark. This parcel of land is leased by Tabor Grain from IDOC.

2.3 SITE HISTORY

In May of 1990, PRC Environmental Management,
Incorporated was contracted by the USEPA to conduct a title
search for the land on which the USEPA/I & M Canal site is
located. This title search determined that on March 5, 1830,
a multi-parcel grant was issued to the State of Illinois by
the United States. This grant was issued with the intentions
of building the Illinois & Michigan Canal. The grant not
only included the I & M Canal, but also an adjacent buffer
strip. The buffer strip varies somewhat, but averages at
about 90 feet. It is measured from the top portion of each
bank where the slope begins and then approximately 90 feet
beyond that point.

On April 19, 1910, Matthiessen & Hegler Zinc Company obtained a lease from the Canal Commissioner to mine beneath the surface of what is believed to be the same land on which USEPA/I & M Canal sits. The contract was for a period of twenty years and appears to never have been renewed.

According to Tim Werner, Illinois Department of
Conservation (IDOC), the Illinois & Michigan Canal and the 90
foot buffer strip was originally overseen by the I & M
Commission. Around 1920, the commission was dissolved and
the I & M Canal property was turned over to the state of
Illinois's Public Works and Buildings which is now the
Illinois Department of Transportation's Division of Water
Resources. During this time IDOT leased certain pieces of
this land for industrial uses. Tabor Grain was one of the
leasing companies.

In 1973, state custodianship of the I & M Canal was transferred from IDOT to the Illinois Department of Conservation (IDOC). It is believed that at this time, Tabor Grain realized the land they lease might possibly include the property on which the tanks are located. There are many property lines in the proximal area of the tanks which make it difficult to distinguish between public and private ownership.

Records suggest that in 1975 Mr. Leonard Trovero utilized lands adjacent to the tank farm for the operations of an asphalt plant, however, the exact location is unclear.


Aerial photographs indicate that the tanks have been at the I & M Canal site as early as November of 1958. (Refer to Figures 2-3 through 2-6 for site aerial photos.) According to IDOC and USEPA files, the tanks originally belonged to J.P. Hollerich of J.P. Hollerich Construction Company. Following Mr. Hollerich's death in 1963, his construction



SOURCE: IDOT, 1992. AERIAL PHOTOGRAPH.

APPROXIMATE SCALE: 1" = 200 FEET

1958 AERIAL PHOTOGRAPH




SOURCE: IDOT, 1992. AERIAL PHOTOGRAPH.

APPROXIMATE SCALE: 1" = 200 FEET

1975 AERIAL PHOTOGRAPH





SOURCE: IDOT, 1992. AERIAL PHOTOGRAPH.

APPROXIMATE SCALE: 1" = 200 FEET

1988 AERIAL PHOTOGRAPH



SOURCE: IDOT, 1992. AERIAL PHOTOGRAPH.

APPROXIMATE SCALE: 1" = 200 FEET

1990 AERIAL PHOTOGRAPH

company was dissolved. The assets of this company were liquidated and sold. Mr. Hollerich's brother-in-law, John Livick, who operated an asphalt company, bought some of these assets. Mr. Livick's company merged with some other companies and ultimately became a part of the Central Illinois Contracting Corporation. Central Illinois Contracting Corporation was a Delaware corporation that qualified in Illinois in December of 1970. The owner of Central Illinois Contracting Corporation is Leonard J. Trovero.

Negative environmental impacts from the tanks were first noted in March of 1990. On the morning of March 21, 1992, two fishermen discovered what appeared to be an oil slick floating on the I & M Canal. The spill was reported to Conservation Police Officer Scott Travi. Todd Hudson, manager of Tabor Grain at that time, notified Officer Travi that the oil-like substance on the I & M Canal appeared to be coming from one of the above ground storage tanks.

Officer Travi and Officer Eric Anderson went to the USEPA/I & M Canal site to answer the complaint. When the two officers arrived at the site, they contacted Officer Harris Brewer and Lieutenant Jim Thomas whom had been receiving complaints that oil was flowing into the Illinois River from the I & M Canal.

The afternoon of the discovery, Bill Kurtz, of Tabor

Grain, showed Officer Travi and Officer Anderson to the

leaking tank. A large amount of what appeared to be oil was

observed below the tank, in the I & M Canal and on the north and south embankments of the canal. Following this, two men employed by Len Trovero arrived at the USEPA/I & M Canal site. One of the Trovero employees told Officer Travi that the tanks belonged to Central Illinois Contracting Corporation, a company owned by Len Trovero. Charles Trovero, Len Trovero's son, told Officer Travi that the tanks belonged to Trovero Construction, a company also owned by Len Trovero. As a result, CMC, a cleanup contractor, was employed by Mr. Trovero's company. However, when Len Trovero arrived at the site he disclaimed the tanks.

A floating boom was placed in the canal in efforts to contain the spill. Following this the IEPA and USEPA were informed of the spill.

USEPA on-scene coordinator Vernita Simon arrived at the USEPA/I & M Canal site at approximately 4:30 PM on March 21, 1990, at which time she was brought up to date on the status of the site. After seeing where the spill had reached the opposite bank, Ms. Simon concurred that cleanup was justifiable.

On March 22, 1990, Mr. Hudson, of Tabor Grain, gave a voluntary statement to Officer Travi. Mr. Hudson professed that he spoke to a former mayor, Mayor Gunia, about the tanks being removed. As a result, Mr. Len Trovero contacted Mr. Hudson at which time he told Mr. Hudson that the tanks were his (Mr. Trovero's) and he had permission to store them on city property. Another source suggests that Mayor Gunia gave

Mr. Len Trovero permission to place the tanks in the area, thinking it was city property when actually it is the property of the Illinois Department of Conservation.

Mr. Len Trovero had arrived at the site by March 23, 1990, at which time he estimated that 1500 gallons of material had been released from the tank. The material had escaped through a torn valve located at the bottom of the tank. CMC proceeded to close the opening with a metal plate.

On the afternoon of March 23, 1990, the USEPA's Technical Assistance Team (TAT) was tasked to assist at the USEPA/I & M Canal site. The TAT believed contamination had occurred at an earlier date because trees on both the north and south banks were tainted with black stains four to five feet above the current water level. They also stated that some stains appeared to be older than others.

A vacuum truck was used as a means of removing some of the spilled material from the water surface of the I & M Canal. Stained soil and debris was removed from the southern bank of the I & M Canal. A backhoe was used to excavate contaminated soil, debris and shrubbery from the northern bank of the canal. Two dump truck loads were taken off site. They also placed a berm around some of the material that had collected on the soil adjacent to the tank.

Also on March 23, 1990, a Trovero representative stated that CMC had cleaned up the spill to his satisfaction.

However, Ms. Simon requested that the boom be left in the canal because the cleanup was not yet completed. CMC left

the boom and also spread a four-inch layer of sand over the seep in attempts to better contain it. However, the TAT observed the black substance continuing to flow into the I & M Canal and 20 to 30 square yards of contaminated sediments along the waterway.

The TAT conducted a Spill Protection Control and Countermeasure (SPCC) inspection on March 26, 1990. As a part of the SPCC inspection, the TAT collected three samples from the seep material. One was taken from the pooled material beneath the tank, the second from the seep along the bank and the third from sediments along the I & M Canal. These samples were tested for pH, flash point, polychlorinated biphenyls (PCB's), cyanide, sulfide, phenols and F-listed solvent analysis under TAT Analytical Services.

On March 27, 1990, after learning that a hazardous waste generator identification number would be assigned to the site, Mr. Trovero requested that the USEPA take over the responsibility for cleanup. The USEPA was granted CERCLA immediate removal funds for the cleanup and stabilization of the spill. O.H. Materials was hired by the USEPA as the primary contractor.

The following day a sheen and the booms remained on the surface of the I & M Canal and the spill was noted as having flowed further down the embankment. O.H. Materials applied sorbent pads to remove the oil-like sheen from the water surface and excavated trees and soil.

The boom was removed on March 29, 1990. Mr. Trovero had

the two dump trucks of contaminated soil returned to the site. Ms. Simon accepted the responsibility of the contaminated soil that was returned.

During the ongoing excavation by O.H. Materials, debris in the embankment made it appear that it had been used as a landfill at one time. Some of Mr. Trovero's employees mentioned that the area had been used for unregulated dumping over a period of decades. Large pieces of asphalt were also found in the embankment.

March 30, 1990 was the final day of excavations at the USEPA/I & M Canal site. O.H. Materials removed the black material that was steadily leaching down the embankment and then covered the excavated area with a mixture consisting of sand and soil. The excavated soil occupied two roll off boxes and four dump trucks. On April 13, 1990, the contaminated soil was taken to a special waste permitted facility, Waste Management, Inc., which is located in Elgin, Illinois. The tanks were not removed from the site.

Prior to sampling, a representative of Trovero

Construction reported that some of the tanks were empty while others probably contained high viscosity M.C. asphalt oil.

Analytical results from the March 1990 sampling event indicated that the three samples collected from the spilled material are characteristic of petroleum-based oil.

2.4 APPLICABILITY OF OTHER STATUTES

This section discusses the applicability of any other

environmental statutes with regards to the USEPA/I & M Canal site.

There are no known records indicating that the USEPA/
I & M Canal site is or ever has been listed as a facility,
generator, etc., permitted or not, under any environmental
statute. This is probably due to the tanks being placed
along the bank of the I & M Canal without the permission of
the proper authorities, and therefore not being placed under
any kind of regulations. This is also relational to the fact
that the tanks seem to have no direct connection to any
specific industry located in the proximal area of the USEPA/
I & M Canal site currently or in the past.

3. SITE INSPECTION ACTIVITIES & ANALYTICAL RESULTS

3.1 INTRODUCTION

This section outlines procedures utilized and observations made during the CERCLA Screening Site Inspection conducted at the USEPA/I & M Canal site. Specific portions of this section contain information pertaining to the site representative interview, reconnaissance inspection, field activities and analytical results. The Screening Site Inspection for the USEPA/I & M Canal site was conducted in accordance with the site inspection work plan which was developed and submitted to the U.S.EPA Regional Offices prior to the initiation of field activities.

The U.S. Environmental Protection Agency's Potential Hazard Waste Site Inspection Report (Form 2070-13) for the USEPA/I & M Canal site is located in Appendix B of this report.

3.2 RECONNAISSANCE INSPECTION

On May 6, 1992, a brief reconnaissance visit to the USEPA/I & M Canal site was conducted by Ken Corkill and Sheila Murphy. Only IEPA personnel were present at this time. The main objective of this visit was to determine if the tank contents would be accessible for proposed sampling. The conclusion was made that a step ladder and some type of long sampling tool would be necessary for the Screening Site Inspection (SSI) sampling task.

3.3 SITE REPRESENTATIVE INTERVIEW


On May 13, 1992, the IEPA sampling team, consisting of Scott Davis, Greg Dunn, Al Kirwan, Sheila Murphy and Judy Triller, arrived at the USEPA/I & M Canal site at approximately 9:00 AM. At this time, Ms. Murphy met with the manager of Tabor Grain, Janice Phelps. Ms. Phelps instructed Vince Horton, assistant manager, to accompany the IEPA sampling team to the location of the tanks. No one representing ownership of the tanks was present during the CERCLA Screening Site Inspection.

3.4 SOIL/SEDIMENT SAMPLING

On May 13, 1992, Illinois Environmental Protection Agency (IEPA) personnel collected a total of eight soil/sediment samples (see Figures 3-1 and 3-2 for all sampling locations) on site and in the proximity of the site within areas of suspected contamination. The main objective of these soil/sediment samples was to determine if any U.S. EPA Target Compound List (TCL) contaminants were present at the site or at potential receptors of concern. (The Target Compound List is provided in Appendix C of this report.) The following table details individual samples with their locations, depths and physical appearances. (Refer to the analytical data in Appendix F for detection limits associated with each sample point.)

USEPA/I & M CANAL Sampling Locations

FIGURE 3-1



Village or City Soundary

USEPA/I & M CANAL

Sampling Location

FIGURE 3-2

TABLE 3-1
Soil Sample Descriptions

<u>Sample</u>	<u>Depth</u>	<u>Appearance</u>	<u>Location</u>
X101	4-8"	Brown, sandy/pebbly fill material	In drainage area north of tanks & east of Tabor salt barns
X102	0-3"	Black tar-like liquid	Beneath Tank I
X103	0-3" 3-12"	Decayed organic material Wet brown/orange sandy pebbly material	47 1/2' south of center of Tank I & 11' west
X104	0-4"	Black tar-like sludge; hard consistency	16' 1" south southwest of center of Tank E's south end
X105	0-6"	Dark brown silty loam	Ballpark at northeast intersection of 6th St. & Creve Coeur
X201	2-6"	Brown silt	Along I & M Canal, on land halfway between two creeks east of the site
X202	0-3"	Grey/black silty mud with thin overlying layer of orange/red material	75' south from the east side of Tank F & 11' west
X203	2-6"	Brown fine grain silt with what appeared to be coal finds	75' south of southeast post of Tabor water tower & 85' 6" east

Sample X101 was collected with the use of a shovel. The rest of the above soil/sediment samples were collected taken with stainless steel trowels. Decontamination of equipment was done at the IEPA's warehouse prior to and following the sampling portion of the SSI. Decontamination procedures

include the cleaning of the equipment with liquid alconex and warm water, rinsing with tap water, rinsing with a 50% acetone 50% distilled water mixture, rinsing with warm tap water and a final rinsing of distilled water. The trowels and shovel dried on paper towels and were wrapped in aluminum foil.

3.5 WASTES SAMPLING

Waste sampling was conducted May 13, 1992 by the screening site inspection team. Illinois EPA personnel took a total of five waste samples; all of which were derived from the on site tanks. Level C protection was utilized during the sampling of the tanks. Locations of the tanks can be found on Figure 3-1.

Samples X401, X402, X403, X405 and X406 were taken with the aid of an approximately 10' long PVC pole. Duct tape was used to attach a glass jar to the end of the pole. A clean jar was attached to the pole for each sample and duct tape was used to cover the portion of the pole that was placed in the material. Once the sampling of the tanks was completed, the sampling tools were disposed of on site.

TABLE 3-2

Waste Sample Descriptions

<u>Sample</u>	<u>Depth</u>	<u>Appearance</u>	<u>Location</u>
X401	2-3" below surface of material	Thick black tar- like liquid	Tank I

X402	0-2" from the surface of the material	Dry taupe in color, fine grained material with the black tar- like liquid	Tank J
X403	2-3" below surface of material	Thick black tar- like liquid	Tank H
X404	Not able to sample due to material being impenetrable	Very thick black tar-like solid	Tank G
X405 & X406	2-3" below surface of material	Black tar-like very thick liquid	Tank F

A sample from Tank G, X404, had originally been planned. However, X404 was not taken because the sampling tool was not able to penetrate the contents of Tank G.

3.6 SURFACE WATER SAMPLING

There were no surface water samples taken during the CERCLA Screening Site Inspection for the USEPA/I & M Canal. Sediment sampling was chosen instead of surface water sampling for the Illinois & Michigan Canal.

3.7 ANALYTICAL RESULTS

Chemical analysis of the soil/sediment samples and samples collected from the tanks revealed the presence of both organic and inorganic compounds. These include volatiles, semi-volatiles, pesticides and common soil/sediment constituents.

See table 3-3 for the Sample Summary Table for the summary of the soil/sediment sample and tank sample results. The Sample Summary Table and complete laboratory analytical data of these results can be found in Appendix F of this report.

USEPA) & M Canal 984785071				_			SAMPLE SUN TABLE 3-						-
8AMPLING POINT	X 105 5-13-92	Still Bagard. 30 101 5-13-50	X 102 5-13-92	X 109 5-13-92	X 104 5-13-92	Set Bigmi X 201 \$13-92	X 202 5-13-02	X 203 5-13-92	X 401 5-13-92	X 402 51392	X 403 5-13-92	X 405 5-13-92	X 406 5-13-92
PARAMETER	PPS	PPB	PPB ·	PPB	PPB	PPB	PPB	PPB	PPS	PPB	PPB	PPB	PPB
VOLATILES			•		. ,			·	•		and the second		
Metryana Cranta			200003			 1100.6D	250.0		1 800. 03		18004	**	++
Acetonia Enhance	***	601					-	301	80000	******	3000.00		
Ettybenzene Nyhongulat		80.1			2000.04				11000.0 40000.0	1600.0 J	17000.0 80000.0	1200.0 J 12000.0	17000.0
SEMVOLATILES	PPS	PFS	PPB	PPB	PPB .	PP8	PPB	PPB	PPB	PPB	PPB	PPB	PPB
Nephilisters 2 – Mathylashthalane	**		220000.0 J		130000.0 J			1200.0 J 2400.0 J	170000.0.j 930000.0	200000.0 J	170000.0.3 810000.0	18000000.J 420000.0 J	360000.0 J
Preparateura		470.0J	200000.0.1	2100.03				1400.03	590000.0 J	200000.0.1	300000.03		
Fluorenthene Pyrese		9000 J 9000 J	120000.03	1900.0 J 2401.0 2		1000.0J	1200.03	100001		180000.0.3			
Benzo(a)anthracene Chrystene				1200.0 J				 	140000.0.1				
Benzoip)iluorenthene Benzoipiluorenthene		970.0 J		1800.0 J			1200.0 J		180000.0 J				
Benzo(a)pyrene Indeno(1,2,3-orbayrana		370.0.1		110000 J 200.0 J	==								
	nancia nancia na managa na man Na managa na managa			***************************************	***************************************						***********************	********************	
EBTICIDE8	PPB	776	PPB	PPB	P PB	FF11	PPB	PPB	PP8	PPB	PPB	PPB	PPB
APIN-IIIC	-		-			S.BJPD		**				ori an	(
Aldrin Childrin		***	1800.07	24.0 JD					\$10E0D	20020FD	2400.00	Secon JPD	201.0.2P
4.4'-DOE Entire				25.0 JPD 47.0 JPD		12.0JD	75.0.JPD						<u></u>
Endosullan il 4.6-200			1700.0 P	36.0 JPD					830,0350	200.0 JFO	200.032		
4,4'-DOT alpha-Crassume	- -			13.0 JPD	 	\$5,0.JPD 22,0.JPD	20.0 JPD 12.0 JPD	PD == ##					
gamma:::Chlordene						15.GJPD			<u></u>	24000.070		85.0 JPD	83.0 J
Timeshane Arodor≟1242				·····				4000.0 D		16000.0 PD	~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~		
Aracter 1245 Aractor 1254				#40.0 JPD 710.0 PD	- -		300.0 JPD				73	==	
Arrador-1280				##40.#PD	- i	2500.PD			***				***
KORGANICE	PPM	PPU	PPM	PPM	PPM	PPU	PPM	PPM "	PPM	PPM	PPM	PPM	PPM
Mercus	18200.6	10500.6	116.0	17000.0	748.0	25000.0	18100.0	9000.0	***	***			
Areenis Bartam	5.90 175.0	25.95 115.0	2.0BJ 2.10B	4.80 J 56.30	1.20 BJ 13.00 B	9.00 2.10.0	11.20 127.0	5.80 79.10		20.90 4.10 B	203		
Beryllum Carlosum	0.87 1.21	1.50 6.50	0.46	3.82 12.78		1.20 4.00	1.50 28.30	1.40 5.0		 88.80			- - <u>-</u> -
Calcium Citrosker	12500.0 \$7.10	14200.0	1050.0 B	35600.0	2670.0	20200.G	21500.0	6330.0 42.60		217.0 B			
Cobalt	8.0	90,70 13,80	2.00	41.50 23.20	251 B 1.43 B	162.0 9.508	61.20 17.0	10.30		\$0.10 17.80	1,008		
Crape: Iron	23.10 20500.0	201.C 27903.0	5.50 B 496.0	43.90 23600.0	7.90 B 1430.0	125,0 25500:0	96.20 95300.0	44,30 14700.0	53.20	96.20 261000.0	89.90	37.60 B	32.70 B
Lees Megnestum	45 eo a 5840.0	SECOLO SECOLO	143.0 B	179.0-1 23900.0	19.30 548.0 B	184.0J 11900.0	196.0 8000.0	57.00.J 3520.0	2003		13.20	*10.	
Marguryasa Maroury	583.0.J 0.12.J	952.0.1 0.316.4	6.40.J 4.25.J	#20.0.J 0.06 BJ	20.60 J 0.03 BJ	500.01	562.04 0.34 J	0.18J	0.24 J	959.0 J 251.0 J			
Polessium	19,50	43.60	10.81	74.50	82.10	041.J 1858	1140	84.70	64.0	75.50	44	\$1 20	6.0
Belgram.	3080.0	2280.0 1.90.J	30 ,30	2040.0 2.0 J	 	4570.0 0.44 BJ	3960.0 1.60.4	2320.0J	4.00 i	25T.0			0.518
Sibrer Hexiogra	180.08	11200.0		 ::::::::::::::::::::::::::::::::::		1140.88	# 760. 0	0.75	 		<u> </u>		
Theijum Venedian	94.20	20.40	61.10	7730	105.0	45.00	50.10	0.45 95.0	140.0		300.4 0		
Zine	268.0	7909.0		0.0	87,50		5690.0	1320.0		12700.0			

3.8 KEY SAMPLES

Table 3-4 identifies those samples taken during the CERCLA Screening Site Inspection (SSI) which were shown to contain contaminants at a level significantly higher than the background concentrations.

For the review of all contaminants detected in samples taken during the CERCLA SSI, the reader is referred to the Sample Summary Table located on the previous page and in the front of Appendix F of this report.

Atymination (1974) Atymination (1974) Arrendo (1974) Arrendo (1974) Atymination (1974) Emplaren (1974) Calcidation (1974) Calcidation (1974) Calcidation (1974) Calcidation (1974) Calcidation (1974) Calcidation (1974) Incrementary (1974) Harganetten (1974) Hara	Acelerie Acelerie Acelerie Thisphoruse Brightness Individual individual FFB Manifestina Individual individual Bertzel (individual Bertzel (individu	USEPAY & H Canal SAMPLING POINT PARAMETER
######################################		7-10-48 WHI
		- 12-12 FF8
# # # # # # # # # #	100.00 Pag	X 103 X 104 5-19-92 5-19-92 PPB PPB
		7,01E3 62 844 7,01E3 7,01E3 1,01 1,01 1,01 1,01 1,01 1,01 1,01 1,0
		PR8 × 2000
#### #### #### #######################	New	X-401 X-402 5-13-92 5-13-92 FPB FPB
	HANNER HA	×403 ×405 5-13-42 5-13-42 PPB PPB
2.778 2.778 3.778 4.44 4.44 4.44 4.44 4.44 4.44 4.44		8 PP8 X 458 :

4. IDENTIFICATION OF SOURCES

4.1 INTRODUCTION

This section discusses the various hazardous waste sources which have been identified at this site during the initial stages of the CERCLA site investigation.

Information concerning the size, volume and waste composition of each source has been derived throughout the initial site assessment and the screening site inspection sampling action. It should be pointed out however, that the total number and nature of each of the sources identified below may be subject to change, as the site progresses through the CERCLA site investigation program and receives further investigation.

4.2 TANKS

There are a total of ten tanks that constitute the USEPA/I & M Canal site. Air photography shows that the tanks have been at this location in excess of 30 years. For the tanks that were accessible, a photo-ionization detector (HNU) with an 11.7 eV lamp was used to determine the presence of certain airborne contaminants. The 11.7 Hnu read background at .5 units. Below are descriptions of the individual tanks. Please refer to Figure 3-1 for tank locations.

Tank J was found without any kind of lid. The Hnu reading was 5 units just inside the mouth of the tank. The contents in tank J varied somewhat from the other tanks that

were inspected. Tank J contained some of the black tar-like liquid but also had taupe colored, fine grained material in the bottom. This tank measured 32 feet in length and 7 feet 6 inches in diameter yielding a capacity of approximately 10,000 gallons. Sample X402 was taken from this tank.

The opening of Tank I was found covered by a lid. The Hnu reading just inside the mouth of the tank was 70 units. Tank I was approximately three-quarters full of the black sludge. The measurements for Tank I were the same as those of Tank J. Sample X401 was derived from this tank.

Tank H had also been closed with a lid. The air inside this tank read 40 units on the Hnu. Tank H was approximately two-thirds full. It contained the same type of black tarlike substance. Tank H measured 23 feet in length and 6 inches in diameter which would indicate a volume of approximately 4700 gallons. Tank H is the tank from which sample X403 was collected.

Tank G was found without any form of a cover. The Hnu reading for Tank G was 0 units above background. The tank was approximately two-thirds full of a very thick black liquid. Tank G's measurements were the same as those of Tank H. This tank was not sampled.

Tank F was closed with a lid. Once opened, the Hnu reading of the air within tank F was 75 units. The tank was almost completely full. It, too, contained the black tarlike sludge. Tank F measured 26 feet in length and 6 inches in diameter, allowing a capacity of approximately 5,400

gallons. Samples X405 and X406 were collected from Tank F.

An unsuccessful attempt was made to open Tank E. It appeared that the tank contents had formed a seal with the lid of the tank, making it impossible to open. Tank E measured 31 feet in length and 6 inches in diameter. The estimated volume for Tank E was 6,400 gallons.

Due to poor accessibility (such as a spigot in bad condition and only directed toward the ground), the contents of Tanks D, C, B and A were not accessible.

The approximate measurements of these tanks are as follows:

<u>Tank</u>	<u>Length</u>	<u>Diameter</u>	Volume		
D	14'	7 '	4,000 gallons		
С	14'	7'	4,000 gallons		
В .	12'	5' 4"	2,000 gallons		
A	14 '	7'	4,000 gallons		

Tank C was observed to have an opening toward the bottom of the tank. The contents of this tank were thought to be of a solid nature, perhaps the sand-like material found in Tank J or the solidified material as in Tank G.

4.3 DRUMS

A total of ten drums were found on site during the CERCLA Screening Site Inspection. Nine of the drums are situated on the west side of Tank I. At least seven of the nine drums contained some kind of material. From the appearance of some black material having drained through bung and pinholes in the drums, the drums probably contain the same or very similar materials as the tanks.

The two other drums appeared to be empty. One of which had large holes in it and had been crushed. The remaining drum was found just south of Tanks D and E. Like the other drums, it too was found lying on its side. This drum was noted as being in the same area of some seepage. However, it was difficult to determine if the seep had come from the drum or one of the tanks. (Please see photographs A-2, A-3, A-4 and B-10 in Appendix D of this report.)

4.4 CONTAMINATED SOILS

In correlation to the soil samples collected during the May 1992 SSI for the USEPA/I & M Canal site, analytical results indicate that the soil materials abutting the tanks are contaminated with hazardous substances, several of which were detected in samples derived from the tanks.

In the spring of 1990, some of the soils contaminated by the seepage from the tank were excavated. However, during the CERCLA SSI, the black material was observed in two different locations on the ground. The first was directly below Tank I and the second just south of tanks D and E. Obviously, contaminated soils still exist at this site.

5. MIGRATION PATHWAYS

5.1 INTRODUCTION

This section includes information that may be useful in analyzing the USEPA/I & M Canal's impact on the four migration pathways identified in CERCLA's hazard ranking system (HRS). The migration pathways which will be analyzed in this section include groundwater, surface water, air and soil exposure.

5.2 GROUNDWATER PATHWAY

Nearby topography slopes toward the south from the city of La Salle toward the I & M Canal. The proximal land north of the tanks is fairly level. However, just south of the tanks is an embankment that slopes toward the I & M Canal. The onsite surface soils consist of man-made fill material. The fill material overlies the Wisconsinan glacial till.

Geological documents (please refer to the Bibliography found in section six of this report) suggest the geology in the La Salle area is somewhat erratic due to the La Salle anticline. The west side of the La Salle anticline features a depression with underlying bedrock that dips toward the west then immediately rises straight up. To the east of the anticline's fold, the ground surface is step-like. Unlike the anticline's west side, this strata has a downward gradient that slopes toward the east. From the north is a downward gradient of a strike which angles toward the


Illinois basin. Older structures are exposed along the anticline's apex due to the erosion of previously deposited formations. (Please refer to Figure 5-1 and 5-2.)

A multiple aquifer system consisting of sand and gravel, limestone and sandstone, is the supplier of drinking water within a four-mile radius of the USEPA/I & M Canal site. According to ISWS (Illinois State Water Survey) well logs, the depths of these wells are as shallow as 11 feet (sand and gravel) and as deep as 285 feet (sandstone) and 423 feet (limestone). The municipal wells of La Salle are 60 to 75 feet deep. They are completed in the alluvial deposits of the Illinois River. However, approximately two miles west of these are the Peru municipal wells. These wells are finished in St. Peter Sandstone at depths ranging from 2,591 to 2,763 feet.

Overlying the Silurian-Niagaran Limestone is a confining layer of Maquoketa. Thus, the aquifer of concern is the shallow sand and gravel. The closest known municipal wells and residential wells completed in this aquifer are slightly more than one mile from the site. Because there are no known nearby wells used for potable water, no groundwater samples were collected during the CERCLA Screening Site Inspection for the USEPA/I & M Canal site.

5.3 SURFACE WATER PATHWAY

Approximately 70 feet south of the site is the Illinois & Michigan Canal. About 1/4 of a mile downstream of the



LA SALLE ANTICLINE CROSS-SECTION LOCATION MAP






FIGURE 5-2

GENERALIZED CROSS-SECTION OF BEDROCK
FORMATIONS ACROSS THE LA SALLE ANTICLINE

0 1 2 SCALE 3 4 SMILES

site, the I & M Canal merges into the Illinois River. The day on which the spill was initially reported, two Conservation Police Officers had been answering complaints from fishermen who stated that oil was flowing from the canal into the Illinois River.

The Illinois & Michigan Canal is known as National Historic Landmark. Both the I & M Canal and the Illinois River are used for recreational purposes. During the investigation of the spill, several fish and a blue heron were found dead. It is quite possible that more wildlife was affected by the release but not discovered.

Extending 15 miles downstream from the USEPA/I & M Canal site are several areas of sensitive environments. Please see Appendix A for the 15 mile downstream surface water map and sensitive environment locations. According to the National Wetland Inventory Maps, wetlands are located along the bank of where the tanks are situated and are dispersed adjacent to the Illinois River for the extent of the 15 miles downstream. Documents record black stains being found on trees on both sides of the bank of the I & M Canal. This would indicate that contamination has reached the nearby wetlands. There are approximately 40 acres of wetlands within a 1/4 mile radius of the site and 75 acres within a 1/4 to 1/2 mile radius of the site.

Spring Lake is a natural area located between Illinois
River miles 210 and 212 (approximately 13 miles downstream of
the site). The rookery of the state-endangered Great Egret,

Casmerodius albus, is located in this natural area. Statemanaged areas designated for wildlife are also located
downstream of the site. Within one mile downstream of the 15
mile mark is a population of the Decurrent False Aster
(Boltonia decurrens). This plant is listed as being both a
state and federal-threatened species.

There are no known surface water intakes documented within 15 miles downstream of the surface water route.

During the May 1992 CERCLA SSI, three sediment samples were taken from the Illinois & Michigan Canal. One of the downgradient sediment samples, X203 indicated the presence of Aroclor-1242. Locations of the aforementioned samples can be found in Figures 3-1 and 3-2 of this report.

The USEPA/I & M Canal site is located within an area of a 100-year flood boundary according to the National Flood Insurance Rate Maps.

5.4 AIR PATHWAY

During the CERCLA Screening Site Inspection, no documented releases to the air were observed. A photo-ionization detector (HNU) with an 11.7 eV lamp was used to determine the presence of certain airborne contaminants in the tanks. The highest reading on the HNU was from Tank F at 75 units. Due to readings greater than five units over background, samplers were respirators while carrying out the task of sampling.

5.5 SOIL EXPOSURE PATHWAY

Soil/Sediment samples collected during the Screening Site Inspection suggest a potential for direct contact with hazardous constituents. There are no known residents, schools or daycare establishments within 200 feet of the site. There is, however, an access road used by Tabor Grain employees everyday. This road is approximately 75 feet from the tanks. On the day of the reconnaissance visit prior to the Preliminary Assessment, Tabor Grain employees were observed working at an estimated 40 feet from the tanks.

There is no means by which access to the tanks is restricted. There is no type of diking surrounding the area of the tanks. Other than the tanks themselves, there is no type of containment for the hazardous contents. During the CERCLA SSI, materials that had leaked from the tanks were observed on the ground.

Organic analytical data of soil samples X102 and X104 indicate the presence of hazardous contaminants. Analytical data collected from sample X104 show the occurrence of the volatile Xylene at 2,000 PPB (Parts Per Billion) and 2-Methylnaphthalene at 130,000 PPB.

Results of sample X102 revealed the greatest number of contaminants. The volatile Methylene Chloride was detected in sample X102 at 2,000 PPB. The semi-volatiles found in this sample include 2-Methylnaphthalene at 220,000 PPB, Phenanthrene at 200,000 PPB and Pyrene at 120,000 PPB. Also, found in X102 were the pesticides Dieldrin at 1,800 PPB and

Endosulfan II at 1,700 PPB. Although the pesticide Edosulfan II was not detected in samples taken from the tanks, the tanks should remain as a potential source due to the fact that not all the tanks were sampled. A May 1990 memorandum from T. Werner, mentions that Tabor Grain had been storing salt and possibly agricultural chemicals on land just north of the tanks. Janice Phelps, who has been at the Tabor Grain facility for fifteen years, said that to the best of her knowledge, Tabor Grain has handled some fertilizers but no pesticides.


Historical records document the presence of contaminated soils on site. Thus, the soil pathway should be considered as a potential source of contamination to the Illinois & Michigan Canal, adjacent wetlands and nearby workers at the Tabor Grain facility.


6. BIBLIOGRAPHY

- Illinois Environmental Protection Agency, 1991, Potential Hazardous Waste Site Preliminary Assessment for the USEPA/I & M Canal site, ILD984785071, prepared by Sheila Murphy, Springfield, IL.
- Illinois State Geological Survey, 1956, <u>Groundwater</u> <u>in Northwestern Illinois</u>, Circular 207
- Illinois State Geological Survey, 1975, <u>Handbook of Illinois</u>
 <u>Stratigraphy</u>, Bulletin 95
- Illinois State Geological Survey, 1919, The Artesian Waters of Northeastern Illinois, Bulletin 34
- Illinois State Water Survey, 1979, <u>Groundwater Conditions and River-Aquifer Relationships Along the Illinois Waterway</u>.
 Circular 208
- Illinois State Water Survey, 1960-1970, <u>Groundwater Pumpage</u> <u>in Northern Illinois</u>, Report of Investigation 73
- U.S. Department of Housing and Urban Development, 1985, Flood Insurance Rate Map, City of La Salle, Illinois
- U.S.G.S., 1979, La Salle, IL. Quadrangle, 7.5 Minute Series.
- U.S.G.S., 1966, Ladd, IL. Quadrangle, 7.5 Minute Series.
- U.S.G.S., 1979, Spring Valley, IL. Quadrangle, 7.5 Minute Series.
- U.S.G.S., 1979, Troy Grove, IL. Quadrangle, 7.5 Minute Series.

APPENDIX A

SITE FOUR MILE RADIUS MAP & SURFACE WATER MAP





APPENDIX B

U.S. EPA FORM 2070-13



Site Inspection Report

SEPA

EPA FORM 2070-13 (7-81)

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

LIDENTIFICATION

01 STATE | 02 SITE NUMBER

TL D 924795071

	LOCATION AND INS	REPORT PECTION:INFORMATION	ON ILD	984785071
IL SITE NAME AND LOCATION 01 SITE NAME (Logs: common, or escriptive name of large	102 87	REET, ROUTE NO., OR SPECIF	C LOCATION DESITINES	
USEPA/Illinois+MichiganC	anal 3		s + Brunner	Streets
La Salle	04 8T	L 61301 L	a Salle	07COUNTY 08 CONG COOP DIST 1514
410 TT 22" _ 29 OL' 19".	O TYPE OF OWNERSHIP (CM A. PRIVATE B. F. OTHER	-	C. STATE [] D. COUNTY	
III. INSPECTION INFORMATION 01 DATE OF INSPECTION 02 SITE STATUS (03 YEARS OF OPERATION			
5 13,92 ACTIVE INACTIVE		58 DRESERT	UNKNOWN	·.
	me of firm)		CIPAL CONTRACTOR	(Name at firm)
	ind o ₁ juins	i. OTHER	(Soeuly)	
Sheila Murdhy	Life Science	Career Trainee	TEPA	06 TELEPHONE NO. (217) 782-6760
Scott Davis	10 TITLE	Career Trainee	TEPA	12 TELEPHONE NO. (217)783-6760
Grea Dunn	Environments/	Protection Specia	in TEPA	(217)782-6760
Al Kirwan		etection Specialist	1:	(217)783-6760
Judy Triller	Environmental A	rotection Special is	TEPA	1201782-6760
3				()
Janice Phelos	General Manage	15ADORESS TaborGrain C	o. LaSalle, IL	18 TELEPHONE NO 18151223-7807
Vince Horton	1.	Tabor Grain C		815 223-7907
				()
				. () .
] ()
				()
	1 			
17 ACCESS GAINED BY (Chout one) G. PERMISSION WARRANT 18 TIME OF INSPECTION 19 COO A M	SWING +		65°F	
IV. INFORMATION AVAILABLE FROM		3		
Mark Ishihara	Archer Da	iniels Midla	nd Company	03 TELEPHONE NO: (217) 424-555
Sheila Wurdhu	08 AGENCY 0	6 ORGANIZATION	07 TELEPHONE NO. 3217)782-6760	9 9 92 MONTH DAY YEAR

-≎EP	A	PO1	SITE	NSPEC:	IDOUS WASTE TION REPORT EINFORMATION		L. IDENTIFICA OFSTATE 02 ST IL D99	<u> </u>
II. WASTE STA	TES, QUANTITIES, A	ID CHARACTER	STICS			· · · · · · · · · · · · · · · · · · ·		
O1 PHYSICAL STA A SQLID B B POWDER: C SLUDGE	TES (Chean of that eachy) E_SLURRY, B_F_UQUID G_GAS	O2 WASTE QUANTI (Alexandre of most be) TONS CUBIC YARDS NO, OF DRUMS			OS WASTE CHARACTI M. A. TOXIC: E. B. CORRO C. C. RADIOA E. O. PERSIS	SIVE F. INFEC	BLE GRINGH TIOUS GJ. EXPL MABLE GK. REA ABLE GLINCO	LY VOLATILE CSIVE CTIVE MPATIBLE APPLICABLE
III. WASTE TY	PE							
CATEGORY	SUBSTANCE	NAME	01 GROS	S AMOUNT	92 UNIT OF MEASURE	03 COMMENTS	,	
SLU	SLUDGE		IUNKI	MWN				•
OLW	OILY WASTE		1	1				-
SOL	SOLVENTS				-			
PS0	PESTICIDES	:	1	1		1		
oce	OTHER ORGANIC C	HEMICALS						
IOC	INORGANIC:CHEMI	CALS	1					
ACD	ACIDS :		1.		**			:
BAS	BASES						· · · · · · · · · · · · · · · · · · ·	
MES	HEAVY METALS	. Tu 1884 W		7	5 2 5 c c	 		1
IV. HAZARDO	US SUBSTANCES (5	Assender for most frequen	nny cana CAS	(uncert)				
01:CATEGORY	02 SUBSTANCE	NAME.	. 03 CAS	NUMBER	04 STORAGE/DIS	POSAL METHOD	08 CONCENTRATIO	OG MEASURE OF
		28 1 to 15 cm	7.5 A		restriction of		·	
	SEE S							/==
	TAB	LE	IN 	A	PPE	NDI	XF	
				· · · · · · · · · · · · · · · · · · ·				

CATEGORY FD8

FD8

FDS

VI. SOURCES OF INFORMATION /CN-M

V. FEEDSTOCKS 1500 AGE

CATEGORY

FDS FD8

F08

USEPA Files CERCLA Screening Site Inspection Analytical Results BSI Conducted May 13, 1992 IDOC Files

SEPA

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

I. IDENTIFICATION

01 STATE 02 STE NUMBER

TL D984 785 07

SITE INSPECTION REPORT
PART 3 - DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

PART 3- DESCRIPTION OF	F HAZARDOUS CONDITIONS AND INC	IDENTS	
II. HAZARDOUS CONDITIONS AND INCIDENTS			
01 🖾 A. GROUNDWATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED:	02 [] OBSERVED (DATE:	_) C POTENTIAL	☐ ALLEGED
None documented	or observed.		
01 8.8. SURFACE WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: 3/21/90 an observed release of a	02 B OBSERVED IDATE: March 199 — 04 NARRATIVE DESCRIPTION 14 014 12 12 12 12 12 12 12 12 12 12 12 12 12		ALEGED
the Illinois+ Michigan Canal. & Contamination is present.	Sectiment Samples taken du	using the 5192 S	sI indicate
01 C. CONTAMINATION OF AIR 03 POPULATION POTENTIALLY AFFECTED:	02 C OBSERVED (DATE:	_) = POTENTIAL	I ALLEGED
None documented or			
01 © D. FIRE/EXPLOSIVE CONDITIONS 03 POPULATION POTENTIALLY AFFECTED:	02 [] OBSERVED (DATE:) POTENTIAL	C ALLEGED
None documentes	lor observed.		- 76
of # E. DIRECT CONTACT 03 POPULATION POTENTIALLY AFFECTED: The abutting land of the to by which to hinder contact to t	02 Closserved (Date:	publicuse. The northetanks	is homeans. Themselves.
01 & F. CONTAMINATION OF SOIL 03 AREA POTENTIALLY AFFECTED: SOIL SOIL STATESTED: SITUATION OF SOIL SOIL STATESTED: SITUATION OF SOIL STATESTED: SITUATION OF SOIL STATESTED: SITUATION OF SOIL STATESTED SOI	O2 C OBSERVED DATE: 3/90 + 5, 04 NARRATIVE DESCRIPTION 1 Observed releases to Sout ts show the Occurrence	I from the tan	□ ALLEGED Ks+drums Consfituents
01 © G. DRINKING WATER CONTAMINATION 03 POPULATION POTENTIALLY AFFECTED: None documents	02:0 OBSERVED (DATE:) C POTENTIAL	C ALLEGED
01 © H. WORKER EXPOSURE/INJURY 03 WORKERS POTENTIALLY AFFECTED: None document	02 0 OBSERVED (DATE:) ☐ POTENTIAL	ALLEGED.
01 12 1. POPULATION: EXPOSURE/INJURY 03 POPULATION POTENTIALLY AFFECTED: None document	02 C OBSERVED (DATE:) I POTENTIAL	C ALLEGED

L IDENTIFICATION
01 STATE 02 STE NAMES
TL D 98478507 POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT DESCRIPTION OF HAZARDOUS CONDITIONS AND INCIDENTS

II HAZABINGIJE CONDITIONE AND INCIDENTE
II. HAZARDOUS CONDITIONS AND INCIDENTS (Constitute) 01 III. J., DAMAGE TO FLORA 02 III OBSERVED (DATE: March 1990) POTENTIAL ALLEGED
On 3/21/90 trees on the north + South Danks of the I+M Canal were observed
to be tainted with black stains. Wetlands are located along the I+M Caral
4 the Illinois River.
01 B.K. DAMAGE TO FAUNA 02 B CRSERVED (DATE: March 1992) POTENTIAL ALLEGED 04 NARRATIVE DESCRIPTION (Include Agentity of Species)
Duringthe March 1990 Investigationa blue heron + several fish
Were found dead.
01 # L. CONTAMINATION OF FOOD CHAIN 02 # OBSERVED (DATE: March 1990.) POTENTIAL ALLEGED
Beveral fish were found dead in correlation to the spill discovered in
March of 1990.
01 M. UNSTABLE CONTAINMENT OF WASTES 02 TOBSERVED (DATE: 3/90+5/22) TOTENTIAL TALLEGED
03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION
10 tanks (ranging from ~ 2,000 to 10,000 gallons) + 9 drums make up the USEPA/Ith (and
Biti. In 3/90 pre of the tanks was observed leaking. In 5792 two locations where materials
01 8 M. UNSTABLE CONTAINMENT OF WASTES 02 8 OBSERVED (DATE: 3/90+5/22) = POTENTIAL = ALLEGED 03 POPULATION POTENTIALLY AFFECTED: 04 NARRATIVE DESCRIPTION 10 tanks (ranging from ~2,000 to 10,000 gallons) + 9 drums make up the USEPA/ITH Canal Bitl. In 3/90 one of the tanks was observed leaking. In 5/92 two locations where materials 14 Ce leaking were observed. 01 8 N. DAMAGE TO OPTSITE PROPERTY 02 0 OBSERVED (DATE:) = POTENTIAL = ALLEGED
A A MARIA WE BROOMSTON
The Illinois+ Michigan Canal was the recipient of the material that
Leaked from the tanks.
01 🖸 O. CONTAMINATION OF SEWERS, STORM:DRAINS; WWTPs 02 088ERVED (DATE:) 🗇 POTENTIAL □ ALLEGED 04 NARRATIVE DESCRIPTION
04 NARRATIVE DESCRIPTION
04 NARRATIVE DESCRIPTION
None documented of Observed.
OF NARRATIVE DESCRIPTION NONE documented of Observed. OI = P. ILLEGALJUNAUTHORIZED DUMPING 02 OBSERVED (DATE:
04 NARRATIVE DESCRIPTION NONE COCUMENTE OF OBSERVED (DATE:) POTENTIAL CALLEGED 04 NARRATIVE DESCRIPTION
Of NARRATIVE DESCRIPTION Note documented or Observed. OI E P. ILLEGALIUNAUTHORIZED DUMPING 020 OBSERVED (DATE:) = POTENTIAL = ALLEGED OF NARRATIVE DESCRIPTION The banks & drums are illegally sitting on property of the Itlinois
04 NARRATIVE DESCRIPTION NONE COCUMENTE OF OBSERVED. 01 E.P. ILLEGAL/UNAUTHORIZED DUMPING 02 CI OBSERVED (DATE:) CI POTENTIAL CI ALLEGED 04 NARRATIVE DESCRIPTION
Of NARRATIVE DESCRIPTION Note documented or Observed. OI E P. ILLEGALJUNAUTHORIZED DUMPING 020 OBSERVED (DATE:) = POTENTIAL = ALLEGED OF NARRATIVE DESCRIPTION The banks & drums are illegally sitting on property of the Islanois
Of NARRATIVE DESCRIPTION None documented or Observed. OI = P. ILLEGALUNAUTHORIZED DUMPING OR OBSERVED (DATE:) = POTENTIAL = ALLEGED OF NARRATIVE DESCRIPTION The banks & drums are illegally sitting on property of the Itlinois Department of Conservation.
Of NARRATIVE DESCRIPTION None documented or Observed. O1 = P. ILLEGALUNAUTHORIZED DUMPING O4 NARRATIVE DESCRIPTION The banks & drums are illegally Sitting on property of the Islinois Department of Conservation.
Of NARRATIVE DESCRIPTION None documented or Observed. OI = P. ILLEGALUNAUTHORIZED DUMPING OR OBSERVED (DATE:) = POTENTIAL = ALLEGED OF NARRATIVE DESCRIPTION The banks & drums are illegally sitting on property of the Itlinois Department of Conservation.
Of NARRATIVE DESCRIPTION None documented or Observed. OI = P. ILLEGALUNAUTHORIZED DUMPING OR OBSERVED (DATE:) = POTENTIAL = ALLEGED OF NARRATIVE DESCRIPTION The banks & drums are illegally sitting on property of the Itlinois Department of Conservation.
None documented or Observed. OIEP. ILLEGALUNAUTHORIZED DUMPING O4 NARRATIVE DESCRIPTION The tanks & drums are illegally Sitting on property of the Itlinois Department of Conservation. OS DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL OR ALLEGED HAZARDS
None documented or Observed. OIEP ILLEGAL/UNAUTHORIZED DUMPING OA NARRATIVE DESCRIPTION The banks & drums are illegally Sitting on property of the Illinois Department of Conservation. OS DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL OR ALLEGED HAZARDS III. TOTAL POPULATION POTENTIALLY AFFECTED:
None documented or Observed. OIEP ILLEGAL/UNAUTHORIZED.DUMPING OA NARRATIVE DESCRIPTION The banks & dirums are illegally Sitting on property of the Itlinois Department of Conservation. OS DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL OR ALLEGED HAZARDS III. TOTAL POPULATION POTENTIALLY AFFECTED:
None documented or Observed. OIEP ILLEGAL/UNAUTHORIZED.DUMPING OA NARRATIVE DESCRIPTION The banks & dirums are illegally Sitting on property of the Itlinois Department of Conservation. OS DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL OR ALLEGED HAZARDS III. TOTAL POPULATION POTENTIALLY AFFECTED:
Of Description None documented or Observed. Of Description Of Integration of the Integral of Observed. Of Description of Any Other Known, Potential or Alleged Hazards III. Total Population Potentially Affected: IV. COMMENTS
Note documented of Observed. Of P. ILLEGALUUNAUTHORIZED. DUMPING 02 OBSERVED (DATE:
Note documented or Observed. Of presentation of potential alleged of Amarkative description The tanks & drums are illegally sitting on property of the Illinois Department of Conservation. OB DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL OR ALLEGED HAZARDS III. TOTAL POPULATION POTENTIALLY AFFECTED: IV. COMMENTS V. SOURCES OF INFORMATION (Cro seconds references a. s. step 1000, 1000 per land alleged Wetland Towersky Maps)
Notice documented or observed. Of P. ILLEGALUNAUTHORIZED DUMPING OR DESCRIPTION The tanks & drums are illegally sitting on property of the Itlinois Department of Conservation. OS DESCRIPTION OF ANY OTHER KNOWN, POTENTIAL OR ALLEGED HAZARDS III. TOTAL POPULATION POTENTIALLY AFFECTED: IV. COMMENTS V. SOURCES OF INFORMATION (the seconds informace, e.g., state mag, sanda analogue, recents)

2	FPA
7	

•	I. IDENT	IFICATION		_
	O1 STATE	02 SITE NUM		
	III.	09847	850	7

\$EPA	••	SITE INSPECT	13 WAS TE SILIE TION PTIVE INFORMATI		01 STATE 02 SITE MAMBER TL D 98478507
II. PERMIT INFORMATION					
1 TYPE OF PERMIT ISSUED	02 PERMIT NUMBER	03:DATE ISSUED	04 EXPIRATION DATE	05 COMMENTS	
	•	1	· .		
A NPOES			 		
2 8. UIC	·				
CC. AIR		- * •	· · · · · · · · · · · · · · · · · · ·		·
D. RCRA		- 			
_ E(NONA IN I ENIMISTATES			 		<u></u>
F. SPCC PLAN		_	 		
H. LOCAL Specify			 	 	
					
I. OTHER/Seecity)			 	<u> </u>	
S.J. NONE		<u> </u>	<u></u>	<u> </u>	· · · · · · · · · · · · · · · · · · ·
II. SITE DESCRIPTION 1 STORAGE/DISPOSAL (Crock of that appay)	02 AMOUNT 03 UNIT	05145401105	me a thierare		Location
A SURFACE IMPOUNDMENT	ecity of:	i.	REATMENT (Chock at met a	dery)	05 OTHER
2 B. PILES			I. INCENERATION I. UNDERGROUND INJ	ECTION	A. BUILDINGS ON SITE
C. DRUMS, ABOVE GROUND	2495 an	llase I	. CHEMICAL/PHYSIC/		
🛗 D. TANK, ABOVE GROUND 💎	-55,982 a	- 44	. BIOLOGICAL	-	
E. TANK, BELOW GROUND			. WASTE OIL PROCES	SING	06 AREA OF SITE
T F. LANDFILL		🖸 F	. SOLVENT RECOVER	Y.	
G. LANDFARM			3. OTHER RECYCLING	RECOVERY	
TH. OPENOUMP		a ·	1. OTHER	ec-ly:	•
		<u>.</u>		· .	
V. CONTAINMENT		<u> </u>			
A. ADEQUATE. SECURE	B. MODERATE	C. INADE	DUATE, POOR .	D D. INSEC	URE, UNSOUND, DANGEROUS
or of the contain	s, emmens, etc. Which access to unks + drums a ecs has been of	the banks, i re oserved + c	brums 5 restricted. N documented	Jo Kind a Leakage	of diKing Burroun from more than
V. ACCESSIBILITY		·	·		
01 WASTE EASILY ACCESSIBLE: (A) 1 02 COMMENTS	YES 🗆 NO	٠.	1		. ·
· .	_	•			·
I. SOURCES OF INFORMATION (C	la sDoatha référenços, e.g., éléta Més, p	amelo analysis, reportal			
USEPA Files CERCLA screening S	ite Inspection				
IDOC files IDOT Aerial Phot	naa Nhs				

\$EPA			SITE INSPECT	DOUS WASTE TION REPORT C, AND ENVIRON		01 STATE	FICATION 02 STE NUMBER D9947850	7(
IL DRINKING WATER		· · · · · · · · · · · · · · · · · · ·				1	·	; ";
01:TYPE OF DRINKING SUI	PPLY .		02 STATUS	-		03 0651	TANCE TO SITE	
	SURFACE	WELL	ENDANGERE		MONITORED	١.,	٠ / ١	
COMMUNITY NON-COMMUNITY	A. □ C. □	B. 6 D. 6	A, 41. D, 11	8. () 2. ()	C. 🗆 F. 🗅	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	- 1.75 (mi)	•
IIL GROUNDWATER								
01 GROUNDWATER USE II	N VICINITY (Cheet or				 			·
BA: ONLY SOURCE F	POR ORINKING	C) B. OFFINITING (Cities equippes available COMMERCIAL, INC. (No cares masor assure)	ito) DUSTRIAL, IRPIGATIO ng avastagan	(Limbed asker	IAL, INDUSTRIAL, IRRIGA Seurose avantable	ATION 🗆 D.	NOT USED, UNUSE	ABLE '
02 POPULATION SERVED	BY GROUND WAT	32,630	<u>.</u> ,	03 DISTANCE TO NE	VREST DRINKING WATER	well <	(mi):	
Depth to GROUNOW	TER	05 DIRECTION OF GRO	UNDWATER FLOW	OG DEPTH TO AQUIFE		08	SOLE SOURCE AG	ÚPER
~//	(ff)	unka	י אלענו	OF CONCERN	of Aquifer	mgd	CI YES 📲	NO
IV. SURFACE WATER USE A. RESERVOIR, FOR ING. WA	RECREATION		IN. ECONOMICALL NT RESOURCES	TO DISCHARGE AREA THE YES COMME		□ 0 . N	NOT CURRENTLY	USED
02 AFFECTED/POTENTIA NAME:	LLY AFFECTED BO	DIES OF WATER			APPECTE		ISTANCE TO SITE	<u> </u>
Illoois	u Minh	igan Cana	. 1	•	_		75 Coot	
I lin	ris River	Jun Cana	<u> </u>				1/4	(mi)
								(mi)
V. DEMOGRAPHIC	ND PROPERT	YINFORMATION			 	•.		
01 TOTAL POPULÁTION		. •			02 DISTANCE TO NEA	REST POPULA	TON	
ONE (1) MILE OF SI A 7-6 1.50 NO OF PERSONS		NO (2) MILES OF SITE MO. OF PERSONS	THREE C. 2	(3) MILES OF SITE	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	1/	(mi) to	·
03'NUMBER OF BUILDING	28 WITHIN TWO (2		• .	04 DISTANCE TO NE	LAREST OFF SITE SUILOR	no Sofeet		
OS POPULATION WITHIN There are			lents or	others on	siti.			

وشو	
1	A

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT

LIDENTIFICATION

OI STATE OF SITE NAMED

TL 10984785071

VELY	PART 5 - WATER, DEMOGRA	PHIC, AND ENVIRO	NMENTAL DATA	IL 10984785071
VI. ENVIRONMENTAL INFORMA				
O1 PERMEABILITY OF UNBATURATED ZO	ONE (Chiese dine)		•	
⊒ A: 10=4 - 10=	⁶ cm/sec	□ C. 10-4 - 10-3 cm	Vaec 🗓 D. GREATER THA	N 10-3 cm/sec
02 PERMEABILITY OF BEDROCK (Choca d	had)			
C. A. IMPERM (Less then 1	IEABLE B. RELATIVELY IMPERMI 10 ⁻⁶ convects (10 ⁻⁶ - 10 ⁻⁶ convect)	EABLE : C. RELATIVE		ly PERMEABLE for then 10 ⁻² entreed
03 DEPTH TO BEDROCK	04 DEPTH OF CONTAMINATED SOIL ZONE	06 SOIL pi	*	·
~30 Im	>4 inches um	עמעו	Known	
OS NET PRECIPITATION	07 ONE YEAR 24 HOUR RAINFALL	08 SLOPE SITE SLOPE	I DIFFECTION OF SITE SLOP	E , TERRAIN AVERAGE SLOPE
(in)	2.5 (in)	0 *	South	_25
09 FLOOD POTENTIAL	10	 		
SITE IS IN 100 YEAR FLO	OODPLAIN C SITE IS ON BA	ARRIER ISLAND, COAST/	AL HIGH HAZARD AREA, RIV	ERINE FLOODWAY
11 DISTANCE TO WETLANDS IS ACTO MARKET	nime .	12 DISTANCE TO CRE	TICAL HABITAT for anamous of soo	
ESTUARINE	OTHER	<u> </u>	_7	(mi)
A(mi)	B. ~75 feet (mi)	ENDANGER	ED SPECIES: Careat Equ	rtt-lands-land
13 LAND USE IN VICINITY			designe	uted for wildlife manager
DISTANCE TO:	• <u></u>		•	
COMMERCIAL/INDUSTR	RESIDENTIAL AREAS; NA RIAL FORESTS, OR WIL	ATIONALISTATE PARKS. DUFE RESERVES	AGRICUL PRIME AG LAND	TURAL LANDS AG LAND
1 275 feet min	s:75 fee which is a N	to the TIM OF	al C.	il) D(mi)
THE STATE OF ALL PARTY OF THE P	TO SURROUNDING TOPOGRAPHY Han beh Huse Lo	SEPA/I & A	L A	S A So2
USEPA Piles		Mirais, reserted	0 > 10 - 10	- Tilanda
TOOC Files	·	Hitesian Waste	ers of Northcoster	Ir Pitterna
Thac Files UGGS Topographic	Maps			* • •
Notional Wittand I Groundwater Pumpage	nventory Maus		·	,
Groundwater Pumpage	In Northern Illinois		_	

O FDA		POTENTIAL HAZARDOUS WASTE SITE	I, IDENTIFI	
\$EPA		SITE INSPECTION REPORT ART 6 - SAMPLE AND FIELD INFORMATION	OT STATE OF	A84785071
IL SAMPLES TAKEN				
SAMPLE TYPE	01 NUMBER OF SAMPLES TAKEN	02. SAMPLES SENT TO		03 ESTIMATED DATE RESULTS AVAILABLE
GROUNDWATER				
SURFACE WATER				Sept. 1992
WASTE	5	IEPA Labs		
AIR			·	
RUNOFF				
SPILL				
son Bediment	8	IEPA Labs		Sept. 1992
VEGETATION	<u> </u>			
OTHER				
III. FIELD MEASUREMENTS	TAKEN			
Prodoionization Detec	M HIGIUST I	eading was from Tark F with	15 WILE	
IV. PHOTOGRAPHS AND MA		02 INCUSTODY OF		
O3 MAPS 04 LOCA	TION OF MAPS	gfield, IL	Actual)	
V. OTHER FIELD DATA COL				
See CER	CLA SS:	I Report		
				•
VI. SOURCES OF INFORMA	TION			
CERCLA SC		Tasaction	· · ·	

EPA FORM 2070-13 (7-81).

CURRENT OWNER(S)			PARENT COMPANY (F. application)				
MAME	4	02 D+8 NUMBER	OS NAME	9 D+8 NUMBER			
Trovero Constructio	n Co.						
STREET ADDRESS 10'0' BOX APO P. ORC.) LA Salle Road COTY LO Salle		04 SIC CODE	10 STREET ADDRESS (P.O. dos, AFD P.	Hệ.)	1 1:SIC CODE		
SCITY	OS STATE	O7 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE		
La Salle		41301					
NAME		02:0+8 NUMBER	08 NAME		09 O+6 NUMBER		
STREET ADDRESS (P.O. Box, RFO F. ord.)		04 SIC CODE	10 STREET ADDRESS (P. O. Box. RFD #.	ele.i	11SIC CODE		
		1		•			
S CITY	OS STATE	07 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE		
		' <u>.</u>			:		
DI NAME		02 D+6 NUMBER	BMAN 80'		RBBMUM 8+0.60		
STREET ADDRESS (P.O. Box, APO P. otc.)		04 SIC CODE	10 STREET ADDRESS (P O. Box. RFO	etc.)	11 SIC CODE		
·	<u> </u>			· ·			
S CITY	06 STATE	07 ZIP CODE	- 12 CITY	13 STATE	14 ZIP CODE		
·					<u> </u>		
1-NAME		02 D+8 NUMBER	OB NAME		09 D+8 NUMBER		
3 STREET ADORESS (P.O. Bez, RFD otc.)		TO4 SIC CODE	10 STREET ADDRESS (P.O. Son. RFD e.		In SIC CODE		
od aintei noonegajr.o. set. nro-, veli		1000000	TO STREET REGINESSIF.U. BOX, NOUP,	·	1100000		
S CITY	06 STATE	O7 ZIP CODE	12 CITY	13 STATE	14 ZIP CODE		
	ľ						
IL PREVIOUS OWNER(S) (Lies most recent to	mu)	<u> </u>	IV. REALTY OWNER(S) // against	gie: vat most recent hrsi)	·		
1 NAME	•	OZ D+8 NUMBER	:01 NAME		02 D+8 NUMBER		
		* -					
DI STREET: ADORESS (P.O. Box, RFD #, ote.)		04 SIC CODE	03 STREET ADDRESS (P.O. Ana. RFO	. etc.;	04 SIC CODE		
S CITY	IOSSTATE	07 ZIF COD€	05 CITY	OS STATE	07 ZUP CODE		
33		. 3331	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		U. D. CODE		
11:NAME		02 D+6 NUMBER	OI NAME		02 D+8 NUMBER		
	_	j .					
DESTREET ADDRESS (P.O. Box, RPO P. enc.)		04 SIC CODE	03 STREET ADDRESS (P. O. Box, AFD A.	ole.)	04 SIC CODE		
S.CITY	IOS STATE	O7 ZIP CODE	OE CITY	TAG STATE	07 ZIP CODE		
recent t	Judinie	0.000			Of Elifood		
)1 NAME	- : - : - : - -	02 0+8 NUMBER	Q1.NAME	···	102 D+8 NUMBER		
			·		<u>.</u>		
3 STREET ADDRESS (P.O. Box, APO P. ore.)		04 SIC CODE	03 STREET ADDRESS (P. Q. Box, AFD #.	el6.1	04 SIC CODE		
SCITY	OSSTATE	07 ZIP CODE	05 City	00 STATE	07 ZIP CODE		
	·	· ·		•	·		
V. SOURCES OF INFORMATION (Cite)	Sáchil references	, e.g., state Mee, samele analy	Wil. regorts				
Department of ConsuSEPA Files	oution	a Cl	· · · · · · · · · · · · · · · · · · ·		-		
Department of Colo	2 40010	114165	•	•			

•			
		-	34
		-	7 1
ı	V	النا	
١.	-	-	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 8 - OPERATOR INFORMATION

I. IDENTIFICATION					
OI STATE	02 SITE NUMBER				
IL	D984785071				

		ART 5 - OPERA	TOR INFORMATION	<u> </u>	1.783.07
I. CURRENT OPERATOR	attirit transcript .		OPERATOR'S PARENT COMPA	NY (if aspilosots)	
NAME	02	D+8 NUMBER	10 NAME	7	RBBMUN B+C
Leonard Trovero STREET ADDRESS 10.0 Sec. APO. MIL La Salle Road		•			
STREET ADDRESS (P.O. Bar APO P. one.)		04 SIC CODE	12 STREET ADDRESS (P.O. Sex. RFO #. erc.	,	13 SIC CODE
La Salle Koad					1
CITY	log SIVIE IO		14 CITY	15 STATE 1	6 ZIP CODE
La Solle	ILU	e1301	, .		
reare of operation 100 name of the 1958 Leon	roard Tro	vero			·
L PREVIOUS OPERATOR(S) ILVII	meet recent first; provide only t	f different from owners	PREVIOUS OPERATORS' PARE	NT COMPANIES #=	ngásablei
INAME	0	2 0+8 NUMBER	10 NAME	, 1	1.0+8 NUMBER
STREET ADDRESS (P.O. Box, APD P. otc.	<u>,</u>	04'SIC CODE	12 STREET ACORESS (P.O. Sea, APD F., on	<u> </u>	13:8IC CODE
SCITY	OS STATE	77 ZIP CODE	14.017	15 STATE	i 6 ZIP CODE
S YEARS OF OPERATION 09 NAME (OF OWNER OURING THIS	PERICO			·
1 NAME		2 0+8 NUMBER	10 NAME		1 1 0+8 NUMBER
STREET ADDRESS (P.O. Bac, APD F. etc.		04 SIC CODE	12 STREET ADDRESS (P.O. Soi, RPD P. on	L)	13 8IC CODE
		-	•	•	
div	06 STATE	D7 ZIP CODE	14 017	15 STATE	16 ZIP CODE
YEARS OF OPERATION 09 NAME	OF OWNER DURING THE	PERIOD			. · .
1 NAME	·	02 D+8 NUMBER	10 NAME	·	11 D+8 NUMBER
3 STREET ADDRESS (P.O. Box, RFD P. etc.	<u>.</u>	04 SIC CODE	12 STREET ADDRESS (P.Q. Sox, APD A. o.	10.,	13-SIC CODE
s CITY	[06 STATE]	07 ZIP CO06	14 CITY	15 STATE	16 ZIP CODE
•					·
8 YEARS OF OPERATION 09 NAME	OF OWNER DURING THE	S PERIOD			
IV. SOURCES OF INFORMATIO	M				
V. SCUNCES OF INFORMATIO	17 (Cite aposite references, e	rê' tiste ued' semble ave	lyons, reporter		

Illinois Department of Conservation Files USEPA Files

≎EPA			SITE INSPEC	ZARDOUS WASTE SITE ECTION REPORT TRANSPORTER INFORMATION		I. IDENTIFICATION 01 STATE 02 SITE NAMED TLD 984785		
II. ON-SITE GENERATOR						·		
N. A.		02 0	+8 NUMBER					
D3 STREET ADDRESS (P.O. Sos. APO P. 446.)			04 SIC CODE		÷		٠.	
OS CITY	06 STATE	07 Z	IP CODE	·			•	
III. OFF-SITE GENERATOR(S)		<u> </u>	· · · · · · · · · · · · · · · · · · ·					
N. A.		02.0	+8 NUMBER	01 NAME		• .	02 0	+8 NUMBER .:
03 STREET ADDRESS (P.O. Box, APD A. esc.)			04 SIC CODE	03 STREET ADDRESS	P.O. Bax, RFO P. eig.j		·	04 SIC CODE
05 CITY	06 STATE	07 2	OF CODE	05 CITY		OS STAT	E 07 Z	P CODE
O1 NAME		02 (+B NUMBER	01 NAME	·		02 0	RBRMUM B+
OJ STREET ADDRESS (P.O. Box. RFD #, etc.)		<u> </u>	04 SIC CODE	03 STREET AODRESS	(P.O. Sox, RFO +, etc.)		1	04 SIC CODE
05 CITY	06 STATE	07	ZIP COOE	05 CITY	· · · · · · · · · · · · · · · · · · ·	06 STAT	€ 07 2	IP CODE
IV. TRANSPORTER(S)	<u> </u>	<u> </u>		<u> </u>			<u></u>	
N. A.	•	02	RABMUN B+C	O1 NAME			02.0	R38MUN 8+(
03 STREET ADDRESS (P. O. Box, RPO P. ore.)			04 SIC CODE	03 STREET ADDRESS	P.O. Boz, RPO P. etc.)			04 SIC CODE
05 CITY	06 STATE	07	ZIP CODE	05 CITY		OS STAT	E 07	OP CODE
01 NAME		02	D+6 NUMBER	01 NAME			02	CHENUMBER
03 STREET ADDRESS (P.O. Bos. RPO P. orc.)			04 SIC CODE	03 STREET ADDRESS	(P.Q. Box, RFQ #, etc.)			04 SIC CODE
OS CITY	06 STATE	E 07	ZIP CODE	05 CITY		OG STA	E 07	ZIP COOR
		_				·		<u> </u>
V. SOURCES OF INFORMATION (Cite asset	ite references	. e.g.,	state Maa, seriale analysis,	vibeigh		··		
						· ·		•
				•				d .
			• • .				•	
					•		·	
				-				·.

_	 <u> </u>	
-		A
	_	
	 /	_
	. 4	

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10 - PAST RESPONSE ACTIVITIES.

li, il						
01 8	TATE	92 A	IE NU	784	•	
	<i>L</i>	V	14	784	50	71

VEIX		- PAST RESPONSE ACTIV		IL D9847	85071
IL PAST RESPONSE ACTIVITIES			<u> </u>	,	
01 A. WATER SUPPLY CLOSED		02 DATE	O3 AGENCY		
04 DESCRIPTION N. A.	•				
01 C 8, TEMPORARY WATER SUP	PLY PROVIDED	02 DATE	O3 AGENCY		
N.A.		•		•	
01 C C. PERMANENT WATER SUP	PLY PROVIDED	02 DATE	O3 AGENCY	· · · · · · · · · · · · · · · · · · ·	
N.A.			•	-	
01 E 0. SPILLED MATERIAL REMO	VED	02 DATE Merch /	790 03 AGENCY	-1	
04 DESCRIPTION In March removed	from the s	ite.			. 1
01 E E CONTAMINATED SOIL REN	MOVED	02 DATE March	1976 03 AGENCY		
01 BY E. CONTAMINATED SOIL REN 04 DESCRIPTION IN WARCH WAS EXC	104 1440, Bai Canatid	I which was con	vered by back	red materio	ا ۹
		02 DATE March	990 03 AGENCY		
01 DF WASTE REPACKAGED, 04 DESCRIPTION DUMP TY MATERIAL	icKs trolloff S.	Doxes were used	to transport	the Contam	irated
01 # G. WASTE DISPOSED ELSEW	HERE	02 DATE APCILL	990 03 AGENCY	-	
04 DESCRIPTION Materials Descripted	Geretrans,	oorke to Wast N Jain, IL.	lanagement, 7	Inc., a specie	el waste
01 C H. ON SITE BURIAL	· · · · · · · · · · · · · · · · · · ·	02 DATE	03 AGENCY		
04 DESCRIPTION \(\sum_{1} \sum_{2} \ldots \)	· :			-	
01 (I I. IN SITU CHEMICAL TREATM	AENT.	02 DATE	OS AGENCY		
04 DESCRIPTION A	NEI (. Ozwaie			
01 🗆 J. IN SITU BIOLOGICAL TREA	ATMENT	02 DATE	03 AGENCY		
04 DESCRIPTION A.A.	-	1 5.	•		
01 C K. IN SITU PHYSICAL TREAT	MENT	02 DATE	03 AGENCY	·	
04 DESCRIPTION					
01 D ENCAPSULATION		02 DATE	03 AGENCY	,	
04 DESCRIPTION					
O1 C M. EMERGENCY WASTE TRI	EATMENT	02 DATE	03 AGENCY	·	
04 DESCRIPTION	·		•	. ,	
01 A. CUTOFF WALLS		02 DATE	03 AGENC	·	
04 DESCRIPTION N.A.					
01 M O. EMERGENCY DIKING/SUI	RFACE WATER DIVERSIO	N 02 DATE MACCO	1990 03 AGENC	Y	
Booms were place	ed in the It	M Canal to Con	tainthe spill	as much as	possible.
01 D.P. CUTOFF TRENCHES/SUN 04 DESCRIPTION		02 DATE	03 AGENC		
N.A.					
01 C Q. SUBSURFACE CUTOFF V	VALL.	02 DATE	03 AGENC	Υ	
λ/ Δ			*	•	

•		
	$PP\Delta$	
		١

POTENTIAL HAZARDOUS WASTE SITE SITE INSPECTION REPORT PART 10-RAST RESPONSE ACTIVITIES

I' IDEN	TERCATION
	02 SITE NUMBER
ITL	D984785071

	PART 10-PAST RESPONSE ACTIVITIES	TC109847850
ST RESPONSE ACTIVITIES (Community)		
01 C:R. BARRIER WALLS CONSTRUCTED 04 DESCRIPTION	OZ DÄTE	03 AGENCY
N.A.		
01 C S. CAPPING/COVERING	02 DATE March 1998	03 AGENCY
of temporar	ayer of sand was applied to the Containment	seep ONLY as a mouns
01 C T. BULK TANKAGE REPAIRED	02 DATE	03 AGENCY
04 DESCRIPTION The opening or	the tank was sealed with a r	netal plate.
01 C U. GROUT CURTAIN CONSTRUCTED	02 DATE	03 AGENCY
04 DESCRIPTION	••	·
01 C V. BOTTOM:SEALED	02 DATE	03 AGENCY
04 DESCRIPTION		
N·A.	·	
01 C W GAS CONTROL 04 DESCRIPTION	02-DATE	03 AGENCY
N.A.	·	
01 C X. FIRE CONTROL 04 DESCRIPTION	02 DATE	03 AGENCY
N.A		
01 C Y. LEACHATE TREATMENT	02 DATE	03.AGENCY
04 DESCRIPTION A.		
01 C Z. AREA EVACUATED	02 DATE	03 AGENCY
N.A.		•
01 8 1. ACCESS TO SITE RESTRICTED	. 02 DATE DOCE NE	03 AGENCY
04 DESCRIPTION HCCESS to the	sets + the tanks themselves	is restricted by no mean
01 C 2. POPULATION RELOCATED	02 DATE	03 AGENCY
04 DESCRIPTION . A.	·	
01 3. OTHER REMEDIAL ACTIVITIES 04 DESCRIPTION	02 DATE	03 AGENCY
A/A	·	
79.71		
	•	-
•		·
	•	
	•	
	•	
	•	
SOURCES OF INFORMATION (Co	STATEMENT, S. C., STATE FIRE, RATHER AND AND ADDRESS.	
sources of information 1020 section 1		



On May 4, 1990, the Illinois Department of Conservation Sent à formal notice to Len Trovero Trovero Construction Co. + Central Illinois Construction Co. This corresponence Stated that the railroad tank Cars + 55 gallons drums must be removed at once. However, no such actron Was ever taken.

Illinois Department of Conservation Files

APPENDIX C

TARGET COMPOUND LIST

TARGET COMPOUND LIST

Volatile Target Compounds

Chloromethane Bromomethane Vinyl Chloride Chloroethane Methylene Chloride Acetone Carbon Disulfide 1,1-Dichloroethene 1,1-Dichloroethane 1,2-Dichloroethene (total) Chloroform 1,2-Dichloroethane 2-Butanone 1,1,1-Trichloroethane Carbon Tetrachloride Vinyl Acetate Bromodichloromethane

1,2-Dichloropropane cis-1,3-Dichloropropene Trichloroethene Dibromochloromethane 1,1,2-Trichloroethane Benzene trans-1,3-Dichloropropene Bromoform 4-Methyl-2-pentanone 2-Hexanone Tetrachloroethene 1,1,2,2-Tetrachloroethane Toluene Chlorobenzene Ethylbenzene Styrene Xylenes (total)

Base/Neutral Target Compounds

Hexachloroethane bis(2-Chloroethyl) Ether Benzyl Alcohol bis(2-Chloroisopropyl)Ether N-Nitroso-Di-n-Propylamine Nitrobenzene Hexachlorobutadiene 2-Methylnaphthalene 1,2,4-Trichlorobenzene Isophorone Naphthalene 4-Chloroaniline bis(2-chloroethoxy)Methane Hexachlorocyclopentadiene 2-Chloronaphthalene 2-Nitroaniline Acenaphthylene 3-Nitroaniline Acenaphthene Dibenzofuran Dimethyl Phthalate 2,6-Dinitrotoluene Fluorene 4-Nitroaniline 4-Chlorophenyl-phenylether

2,4-Dinitrotoluene Diethylphthalate N-Nitrosodiphenylamine Hexachlorobenzene Phenanthrene 4-Bromophenyl-phenylether Anthracene Di-n-Butylphthalate Fluoranthene Pyrene Butylbenzylphthalate bis(2-Ethylhexyl)Phthalate Chrysene Benzo(a) Anthracene 3,3'-Dichlorobenzidene Di-n-Octyl Phthalate Benzo(b) Fluoranthene Benzo(k) Fluoranthene Benzo(a) Pyrene Indeno(1,2,3-cd)Pyrene Dibenz (a, h) Anthracene Benzo(g,h,i)Perylene 1,2-Dichlorobenzene 1,3-Dichlorobenzene 1.4-Dichlorobenzene

Acid Target Compounds

Benzoic Acid
Phenol
2-Chlorophenol
2-Nitrophenol
2-Methylphenol
2,4-Dimethylphenol
4-Methylphenol
2,4-Dichlorophenol

2,4,6-Trichlorophenol 2,4,5-Trichlorophenol 4-Chloro-3-methylphenol 2,4-Dinitrophenol 2-Methyl-4,6-dinitrophenol Pentachlorophenol 4-Nitrophenol

Pesticide/PC3 Target Compounds

alpha-BHC
beta-BHC
delta-BHC
delta-BHC (Lindane)
Heptachlor
Aldrin
Heptachlor epoxide
Endosulfan I
4,4'-DDE
Dieldrin
Endrin
4,4'-DDD
Endosulfan II
4,4'-DDT

Endrin Ketone
Endosulfan Sulfate
Methoxychlor
alpha-Chlorodane
gamma-Chlorodane
Toxaphene
Aroclor-1016
Aroclor-1221
Aroclor-1232
Aroclor-1242
Aroclor-1248
Aroclor-1254
Aroclor-1254


Inorganic Target Compounds

Aluminum
Antimony
Arsenic
Barium
Beryllium
Cadmium
Calcium
Chromium
Cobalt
Copper
Iron
Lead
Magnesium

Manganese
Mercury
Nickel
Potassium
Selenium
Silver
Sodium
Thallium
Vanadium
Zinc
Cyanide
Sulfide
Sulfate

APPENDIX D

IEPA SITE PHOTOGRAPHS





INSPECTION PHOTOS

DATE: 5/12/92 | SITE #: 0 9 9 0 3 0 5 0 2 6 | CO.: Lake

TIME: 9:47 AM | SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN BY: S. Murphy

COMMENTS: Pictures taken

toward:

west, just below tank I

рното ≃: А-1



DATE: 5/12/92

TIME: 10:05 AM

PHOTOGRAPH TAKEN

BY: S. Murphy

COMMENTS: Pictures taken

toward:

north northeast



рното **=**: А-2

. . . . · . .



INSPECTION PHOTOS

DATE: 5/12/92 | SITE #: 0 9 9 0 3 0 5 0 2 6 | CO.: Lake

TIME: 10:06 AM | SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN BY: S. Murphy

COMMENTS: Pictures taken

toward:

east, directly west of tank I





DATE: 5/12/92

TIME: 10:06 AM

PHOTOGRAPH TAKEN

BY: S. Murphy


COMMENTS: Pictures taken

toward:

east, directly west of tank I

рното **≭**: А-4







INSPECTION PHOTOS

DATE: 5/12/92	SITE #: 0990305026 co.: Lake
TIME: 10:11 AM	SITE NAME: USEPA/I & M Canal
BHOTOGRABH TAKEN	

PHOTOGRAPH TAKEN
BY: S. Murphy

COMMENTS: Pictures taken

toward:

northwest, south of tanks

E and F

рното **=**: A-5



DATE: 5/12/92

TIME: 10:11 AM

PHOTOGRAPH TAKEN BY: S. Murphy


COMMENTS: Pictures taken

toward:

west, south of tanks E and F





рното **≈**: А-6






DATE: 5/12/92	SITE #: 0990305026	co.: Lake
TIME: 10:11 AM	SITE NAME: USEPA/I & M Cana	al
PHOTOGRAPH TAKEN BY: S. Murphy		
COMMENTS: Pictures taken toward:		
southwest, south of tanks		
E and F		
РНОТО #: А-7		
DATE: 5/12/92		
PHOTOGRAPH TAKEN		
BY: S. Murphy		NITE







	INSPECTION PHOTOS
DATE: 5/12/92	SITE #: 0990305026 co.: Lake
TIME: ~11:00 AM	SITE NAME: USEPA/I & M Canal
PHOTOGRAPH TAKEN BY: J. Triller	
COMMENTS: Pictures taken toward:	
east	
	STELLOVE II
	DATE COLLING OF SAMPLE 7.102
рното ≄: А-9	
DATE: 5/12/92	
TIME:~11:45 AM	
PHOTOGRAPH TAKEN	
BY: J. Triller	







DATE: 5/12/92	SITE #: 0990305026 co.: Lake
TIME: ~11:45 AM	SITE NAME: USEPA/I & M Canal
photograph taken by: J. Triller	
COMMENTS: Pictures taken toward:	
south	

DATE: 5/12/92

TIME:~12:45 PM

PHOTOGRAPH TAKEN

BY: J. Triller

COMMENTS: Pictures taken

рното **з**: **A**-11

taward:


north



рното **ж**: A-12




	THE STATE OF THE PARTY OF THE P	INSPECTION PHOTOS
	DATE: 5/12/92	SITE #: 0990305026 co.: Lake
	TIME: ~ 12:45 PM	SITE NAME: USEPA/I & M Canal
	PHOTOGRAPH TAKEN BY: J. Triller	
	COMMENTS: Pictures taken toward:	
	northwest	
		SITE LIST L POLICE SAMPLE AT L
•	рното = : А-13	
	DATE: 5/12/92	
	TIME:~1:35 PM	
	PHOTOGRAPH TAKEN BY: S. Davis	
	COMMENTS: Pictures taken toward:	
	west	







DATE: 5/12/92 SITE #: 0990305026 co.: Lake TIME:~1:35 PM SITE NAME: USEPA/I & M Canal PHOTOGRAPH TAKEN BY: S. Davis COMMENTS: Pictures taken toward: southwest рното **=**: В-2



TIME:~2:15 PM

PHOTOGRAPH TAKEN

BY: S. Davis

COMMENTS: Pictures taken

toward:

west, toward the bottom

of tank I

РНОТО =: В-3



		•
		•
		•
	·	



DATE: 5/12/92	SITE #: 0990305026 co.: Lake
TIME:~2:15 PM	SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN
BY: S. Davis

COMMENTS: Pictures taken

toward:

southwest

рното ≃: В-4



DATE: 5/12/92


TIME: ~ 2:50 PM

PHOTOGRAPH TAKEN
BY: S. Davis

COMMENTS: Pictures taken taward:

north, in drainage area







DATE: 5/12/92 SITE #: 0990305026 co.: Lake

TIME: ~2:50 PM SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN BY: S. Davis

COMMENTS: Pictures taken

toward:

east, in drainage area

рното **=**: В-6



DATE: 5/12/92

TIME: ~3:30 PM

PHOTOGRAPH TAKEN

BY: A. Kirwan

COMMENTS: Pictures taken


toward:

north, along I & M Canal

embankment

рното **=**: В-7








рното =: В-9

INSPECTION PHOTOS

co.: Lake

1	INSPECTION PH
DATE: 5/12/92	SITE #: 0990305026
TIME: ~3:30 PM	SITE NAME: USEPA/I & M Cana
photograph taken by: A. Kirwan	
COMMENTS: Pictures taken toward:	SITELIEFO
north, along I & M Canal	SITE USFPA I : M DATE 5-13-92 TIME 3:25
embankment	SAMPLE X/03
рното ≕: В-8	
5/12/02	
DATE: 5/12/92 TIME: ~3:30 PM	
photograph taken by: A. Kirwan	
COMMENTS: Pictures taken toward:	
north, along I & M Canal	
embankment	





DATE: 5/12/92 | SITE #: 0990305026 | CO.: Lake

TIME: ~3:45 PM SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN

BY: S. Davis

COMMENTS: Pictures taken

toward:

southwest, directly south of

tanks D and E

рното **=**: В-10



DATE: 5/12/92

TIME:~3:45 PM

PHOTOGRAPH TAKEN

BY: S. Davis

COMMENTS: Pictures taken


toward:

south, directly of tanks

D and E

рното =: В-11







DATE: 5/12/92 | SITE #: 0990305026 | CO.: Lake

TIME: ~4:25 PM SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN
BY: S. Davis

COMMENTS: Pictures taken

toward:

east southeast, along I & M

Canal shoreline

рното **=**: В-12



DATE: 5/12/92

TIME:~4:25 PM

PHOTOGRAPH TAKEN

BY: G. Dunn


COMMENTS: Pictures taken

toward:

northwest, along I & M

Canal shoreline

рното =: В-13



			. •
		•	
			,
	·		



DATE: 5/12/92

SITE #: 0990305026

co.: Lake

TIME:~4:50 PM

SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN

BY: S. Davis

COMMENTS: Pictures taken

toward:

south, along I & M Canal

shoreline

рното **=**: C-1



DATE: 5/12/92

TIME:~4:50 PM

PHOTOGRAPH TAKEN

BY: S. Davis

COMMENTS: Pictures taken

toward:

east south east, along

I & M Canal shoreline



рното =: С-2

i i			
·.			



DATE: 5/12/92

SITE #: 0 9 9 0 3 0 5 0 2 6

CO.: Lake

TIME:~5:10 PM

SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN
BY: S. Davis

COMMENTS: Pictures taken
toward:

east, along I & M Canal

shoreline

PHOTO #: C-3

DATE: 5/12/92

TIME:~5:10 PM

PHOTOGRAPH TAKEN

BY: S. Davis

COMMENTS: Pictures taken

toward:

northwest, along I & M

Canal shoreline


рното **=**: С-4




					•	
		•	•			



- 84		
	DATE: 5/12/92	SITE #: 0990305026 co.: Lake
	TIME:~5:40 PM	SITE NAME: USEPA/I & M Canal
	PHOTOGRAPH TAKEN BY:	
	COMMENTS: Pictures taken toward: S. Murphy	CREVECIEUR
	north northeast	ACTIONS ET
)		
	РНОТО #: С-5	
	DATE: 5/12/92	
	TIME~5:40 PM	
	photograph taken by: S. Murphy	
	COMMENTS: Pictures taken	





..

1

.



DATE: 5/12/92	SITE #: 0990305026 co.: Lake
TIME:~5:40 PM	SITE NAME: USEPA/I & M Canal

PHOTOGRAPH TAKEN BY: S. Murphy

COMMENTS: Pictures taken

toward:

southwest

рното **=**: С-7



APPENDIX E

WELL LOGS

_ Year 1968

INSTRUCTIONS TO DRILLERS

White Copy 'ublic Kealth Yellow Cc. Well Contractor Blue Copy - Well Owner PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62796. DO NOT DETACH GEOLOGICAL / WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

ı.	Type of Well
	a. Dug Bored Hole Diamin. Depthft.
	Curb material Buried Slab: YesNo
	b. Drivenin. Depthft.
•	c. Drilled X Finished in Drift X In Rock In Rock
	Tubular Y Gravel Packed
	d. Grout: (KIND) FROM (FL.) TO (Ft.)
	Puddled clay 0 68
	1244104 0144
	<u></u>
2.	Distance to Nearest:
	Building 20 Ft. Seepage Tile Field 120
	Cess Pool none Sewer (non Cast iron) none
	Privy none Sewer (Cast iron) 20
	Septic Tank 100 Barnyard none
	Leaching Pit none Manure Pile none
3.	Is water from this well to be used for human consumption?
•	Yes No
4.	Date well completed July 17. 1968
	Permonent Pump Installed? Yes X No Monufacturer Goulds Type submersible
	Capacity 1 Hm gpm. Depth of setting 42 ft.
6	Well Top Sealed? Yes v No No
	Pitless Adaptor Installed? Yes X No No
	Well Disinfected? Yes NoNo
٥.	·
	ter Sample Submitted? YesNoX

GEOLOGICAL WATER SURVEYS WATER WELL RECORD

10. Dept. Mines and Minerals p-

" No. NF4076

 Proper Addres 	s 712 13 th S:	- Peru	1174 22	10.
Driller	S. Dean Albr	License	No. 62-1	50
12. Water	rom Sand& gra	13. Coun	y <u>LaSall</u>	ņ
	Formation	•	2 [1-11
at depi	ь <u>52-75_75_1</u>	Sec	400 -	╌┠╌╂
14. Screen	: Diam. <u>5</u> in.	ıwp.	34.8	
Length	1.14ft. Slot		<u> </u>	
15. Casing	and Liner Pipe	Elev		
Diem. (in.)	Kind and Weight	From (Ft.)	Fo (Ft.)	SIIO DCATI
511	malv	cl		e Tion
	 			' ' ' '
				/
		3 3		
17. Static	ole below casing: 5 level 18 ft. below c ground level. Pumping	asing to which		
17. Static above gpm fo	level <u>18</u> ft. below c ground level. Pumping r <u>2</u> hours.	asing to, which level 20 ft.		ng a
above gpm fo	level <u>18</u> ft. below c ground level. Pumping	asing to, which level 20 ft.	THICKNESS	ng a
17. Static above gpm fo	level 18 ft. below c ground level. Pumping r 2 hours.	asing to, which level 20 ft.	THICKNESS	ng a
above gpm fo	level 18 ft. below c ground level. Pumping r 2 hours. ORMATIONS PASSED THRE	asing to, which level 20 ft.	THICKNESS	ng α BOTTO: 5
17. Static above gpm for [8. Fill Yellow Sand & A	level 18 ft. below c ground level. Pumping r 2 hours. ORMATIONS PASSED THRE	asing to, which level 20 ft.	THICKNESS	BOTTO:
17. Static above gpm for [8. Fill Yellew Sand& grant S	level 18 ft. below c ground level. Pumping r 2 hours. CORMATIONS PASSED THREE CLASSES COMMENTS OF THE CLASSES	asing to, which level 20 ft.	THICKNESS	BOTTO:
17. Static above gpm for [8. Fill Yellow Sand& gray cl	level 18 ft. below c ground level. Pumping r 2 hours. CORMATIONS PASSED THREE CLASSITIONS CLASSITIONS PASSED THREE PASSED THRE	asing to, which level 20 ft.	THICKNESS	BOTTO: 50 35 30 30 52
17. Static above gpm for [8. Fill Yellew Sand& grant S	level 18 ft. below c ground level. Pumping r 2 hours. CORMATIONS PASSED THREE CLASSITIONS CLASSITIONS PASSED THREE PASSED THRE	asing to, which level 20 ft.	THICKNESS	BOTTO:
17. Static above gpm for [8. Fill Yellow Sand& gray cl	level 18 ft. below c ground level. Pumping r 2 hours. CORMATIONS PASSED THREE CLASSITIONS CLASSITIONS PASSED THREE PASSED THRE	asing to, which level 20 ft.	THICKNESS	BOTTO: 50 35 30 30 52
17. Static above gpm for [8. Fill Yellow Sand& gray cl	level 18 ft. below c ground level. Pumping r 2 hours. CORMATIONS PASSED THREE CLASSITIONS CLASSITIONS PASSED THREE PASSED THRE	asing to, which level 20 ft.	THICKNESS	BOTTO: 50 35 30 30 52

White Copy
III. Dep Public Health
Yellow Co. - Well Contractor
Blue Copy Well Owner

PARTMENT OF PUBLIC HEALTH, ROOM 61., STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL /WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well	, -		•
				n. Depthft No
	b. Driven	Drive Pip	e Diam in	. Depthft
	c. Drilled X	. Finished	in Drift X	In Rock
	Tubular X		cked	
	d. Grout:	(KIND)	FROM (FL)	TO (Ft.)
		puddled	0	48
	·			
2.	Distance to Ne	rest:		
•	Building 50	Ft.	Seepage Tile Fi Sewer (non Cast	eld 75 ·
	Cess Pool1	nome	Sewer (non Cast	iron) 50
	70	176 · ·	C 10	1 13 .
	Septic Tank	٥٧	Barnyard XX	
	Leaching Pit	none	Manure Pile	none
3.	Is water from th	is well to be us	ed for human con	
4.	Yes X Date well comp	leted April	22. 1969	
5.	Permanent Pum	n Installed? Y	es X	No_ ubmersible
_,-	Manufacturer Re	d Jacket	Type S	ubmersible
	Capacity 1/3	gpm. Dept	h of setting	72ft
6.			NoX	
				0
			K No	
			N	
r. El	AARKS:	• • •	•	•

GEOL	OGICAL WATER SURV			RECORD
		757	! 	1969
10. Dept.	Mines and Minerals permit	No.	Z Y	fan t / / /
11. Prope	Lity Owner (1000 a Draver')	,	Well No.	
. Addre	ss 1902 Plain St.	Peru,	TTTINO	ia
Drille	or S. Dean Albrech	Licen:	se No. <u>92</u> :	-350
12. Water	fromSNAIC	13. Cou	ntyLEL	Salle
. 1	Pth 47 to 110 ft.		6	
at de		Sec.	- AALE	
	n: Diamin.	Twp		
Leng	th:ft. Slot	Rng		
		Ele	v	
15. Casir	ig and Liner Pipe .		<u></u>	
Diam. (in.)	Kind and Weight	From (Ft.)	To (Ft.)	SHOW LOCATION IN
5	galv	Ó	48	SECTION PLAT
			17	75'S 60'E
ļ	<u> </u>			w/c sw s
16. Šize i	Hole below casing: 5	in.	_	. •
17. Static	level <u>20</u> ft. below case ground level. Pumping level.	ing top which	h is	L à
above	ground level. Pumping lev	, 110 ft	when pum	ping at F3
anm f	or <u>1</u> hours.		timen pain	
- Abril 1				·
10.	FORMATIONS PASSED THROU	GH	THICKN	ESS DEPTH OF BOTTOM
yellow			11	11 .
gray c	lay		- 4	15
grayel	lav	•	1 5	25
dry sa	Na		1 7	22
gray c	тау		12	38
clay sa			I	39
dry gr	avel		1-1-	
<u>clay</u>			7	47
gray s	hale		o18	65
BOIT R	ray shale	···	1 13	- 78
red 8			32	_ 110

DATE May 23, 1969

(CONTINUE ON SEPARATE SHEET IF NECESSARY)

White Copy — III, Legal, of Fub.ulth Yellow Copy — Yell Contractor Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUEST. AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, BUREAU OF ENVIRONMENTAL MEALTH, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 82701. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT


1.	b. Drivenc. Drilled X	al B Drive Pip Finished Gravel P	uried Slab: Yes De Diami in Drift acked	· ·
		(KIND)	PROM (FI.)	TO (Pt.)
		<u>puddled</u>	<u> </u>	48
				<u> </u>
		<u> </u>	<u> </u>	<u> </u>
2.	Distance to Ne Building	<u> 15 Ft.</u>	Seepage Tile F	ield 80
	Cess Pool		Sewer (non Cas Sewer (Cast. iro	t iron)55
	Privy Septi: Tank	60		n)
	Legaring Pit _		Manure Pile	
3.	Is water from th		sed for human co	
4.	Date well comp	leted <u>Janua</u>	ry 4. 1974	
	Perminent Pun Manu: acturer	p Installed? Red Jacket	Yes X	No Submersible
6.				
7.	Pitless Adapto	Installed?	les x Tublea	tracked the coming
			X No	
		•-		
	•			basement

GEOLOGICAL AND WATER SURVEYS WELL RECORD

	Addres	Charles R.W. Totalle B.Doon Albred	a la t	1 1	- 1	- 10	2-1	20
: -	Drule	. 1971 613	<u> </u>	_ Licens	ie u	5. <u>F</u>	<u> </u>	974
1.	Permit	No. 27150 from Sab (Stone		Date 13. Con		1.0	2~1	<u> </u>
. L.	Adial 1	Filmytton			-	_		10
	at dept	1192 to 288 ft.				<u>35.5</u>	á.L	
4.	Screen	: Dianin.		Twp				
	Length	ı: siot	-	Rge	<u>ئے</u> .	<u>15</u>		1-1-1-
5.	Casino	and Liner Pipe		Elev	v			X,
	m. (in.)	Kind and Weight		From (Ft.)	To ((Ft.)	1.00	SHOW CATION IN
	5	block		0	48	,	SEC.	TIÓN PLAT
							80'	N 100'4
_							Sel	SESE
	Static above	ole below casing: level_55_ft. below ground level. Pumpin	casing	top whi	h i	s	<u>13</u> pinç	g at 15 ^{ft}
7. —-	Static above gpm fo	level 55 It below	caring g level_	top whi	. who	sen pu	æping	
7. —-	Static above gpm fo	level_55_ft. below greated fevel. Pumpin 2hours.	caring g level_	top whi	. who	en Pu	mpine NESS	DEPTH OF HOTTOM
7. —.	Static above gpm fo	level 55 It below ground level. Pumpin 2 hours.	caring g level_	top whi	. who	еп ри тиск 10	mpine NESS	DEPTH OF HOTTOM
7. —-	Static above gpm fo	level_55_ft. below ground fevel. Pumpin 2hours. GREATIONS PASSED TO	caring g level_	top whi	. who	en Pu	mpine NESS	DEPTH OF HOTTOM
7. —.	Static above gpm fo	level_55_ft. below ground fevel. Pumpin 2hours. GREATIONS PASSED TO	caring g level_	top whi	. who	еп ри тиск 10	mpine NESS	DEPTH OF HOTTOM
	Static above approximately sail	level_55_ft. below ground level. Pumpin 2hours. CREATIONS PASSED TO 1:2. Glov.	caring g level_	top whi	. who	10 2	mpine NESS	PEPTILOF HOTTOM 10
7. —.	Static above apm to yell grav sand gray	level_55_ft. below ground level. Pumpin @hours. GREATIONS PASSED TO LEVEL GLOVE PASSED TO LEVEL PASSED TO L	caring g level_	top whi	. who	10 2 20	mpine NESS	10 12 32
7. —.	Static above approximately said grav sand gray arce	level_65_ft. below ground level. Pumpin @hours. GREATIONS PASSED TO COMMUNICATION PASSED PASSED TO COMMUNICATION PASSED PASSED TO COMMUNICATION PASSED PAS	caring g level_	top whi	. who	10 2 20 26	mping NESS	10 12 32 58
7. —.	Static above gpm to	level_65_ft. below ground level. Pumpin @hours. GREATIONS PASSED TO GREATIONS PASSED TO GLEY el Stana Ilizantone at shule	caring g level_ RROUGH	top whi	. who	10 2 20 25 3	mping NESS	10 12 32 58 59

IDPH 4,C65 10-72 KNB

SIGNED ATE Feb. 12, 1974



FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, BUREAU OF ENVIRONMENTAL HEALTH, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62701. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well a. Dug	Hole	Diam. 5	_in.	Depth <u>/05</u> ft.
	b. Driven Drive				
	c. Drilled X Finis	shed in	Drift	.m. D	Rock 人
	Tubular Grav				
	d. Grout:				
	(KIND)		FROM (FL.)		TO (Fi.)
	<u>-:</u>			<u> </u>	
			· · ·		
				L	
2.	Distance to Nearest: Building 35	Ft. Ş	eepage Tile	Field	751_
	Cess Pool	_ S	ewer (non Co	ıst iro	n)
	PrivySeptic TankSO/	_ S	-	-	
					
	Leaching Pit				
	Is water from this well to I Yes No Date well completed				
4.	Date well completed		1126:-	18	
5,	Permanent Pump Installed	Ye	s	No	
	Manufacturer		Туре		· · · · · · · · · · · · · · · · · · ·
	Capacitygpm.				
6.	Well Top Sealed? Yes_	<u> </u>	No		
7.	Pitless Adaptor Installed?	Ye	s	. No	<u>×</u>
8.	Well Disinfected? Yes_		<u>حــ</u> No		
9.	Water Sample Submitted?	Yes_		_ No_	
RE	MARKS:				·

	GEO	LOGICAL AND WATER	SURVEYS	WELL	EC0	RD
11. 12. 14.	Address Drilles Permit Water at dep Screen Length	ss It to to do	Date J 13. Cou Sec. Twp	e No	23 28 6 6	
	m. (in.)	Kind and Weight	From (Ft.)	To (Ft.)	سي <u>ي</u> دم د	Silo W
	5	Schodul 40 8VC 1130-NSF 38711	0	40	SEC.	CATION IN
17.	Static above gpm fo	ole below casing: 5 level 10 (t. below casi ground level. Pumping lev r hours.	ng top whice el <u>45</u> ft.	th is	mping	at 10
-77	0				10	воттом
-6	X (XX.	7 1	•		1	10
	<u> </u>	ls tre		- 	<u>حر</u>	56
	Y:Y	Poter Sanx			(14)	/05
		 	" <u> </u>			
	NTINU	e on separate sileet in	41	_	<u> </u>	6-80

IDPH 4,065 10-72 KNB-1 White Co-III. De, I Public Health Yellow C — Well Contractor Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION RE ESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 610, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

d. Grout: -		rcked	·
-	(KIND)	FROM (Ft.)	TO (Ft.)
t		•	
		·	
Distance to Near	est:		ı
		Seepage Tile Fie	eld
		Sewer (non Cast	
Privy	·	· .	
Septic Tank	50	Barnyard	
Leaching Pit 🕰		Manure Pile	
Is water from this			
Yes X Date well comple	eled _5-5	-68	
Permanent Pump	Installed?	[es]	No
Manufacturer	<u> </u>	Туре	·
Capacity	gpm. Dep	th of setting	ft
Well Top Sealed	Yes	No	
		res No	
Well Disinfected	? Yes	No.	

SURFACE WELL IN TO BEDROCK THE SMALL ANNULAR SPACE WAS FILLED WITH BENTONITE AND CUTTINGS

GEOLOGICAL WATER SURVEYS WATER WELL RECORD

4242				·	
. 10. Dept	. Mines and Minerals permit	No. 47.18		Year 1	968
11. Prop	erty owner CLEM TASI	B.K.	Well No	.1	
Addı	perty owner CLEM TASLI sets TWP 33 M 2	ALSAL	IE.	14	
Drill	er was reading	Licen:	se 110. 🔀		
12. Wate	er from SAUD STON	<u>F</u> 13. Cou	nty 🛵	ے،کک	LIE_
	epth 285 to 325 ft.		.2	. []	
	en: Diamin.	. Twp	. 33-M		
Leng	gth:ft. Slot		1-4-1	⋚├╌┼	
		Ele		╸╠┷╂	┷╅┷╉
15. Casi	ing and Liner Pipe		-		الط
Diam. (in.) Kind and Weight	From (Ft.)	To (Ft.)		SHOW ATION IN
1	T.C. BIK 19 F.	10	177	BECTI	ON PLAT
2	P.E. 11 15#	159	225	.5001	N 2000 W
-2	PERFORATED	1-4-	-4-5-40-	SE/c	NE
<u> </u>		<u>. L </u>		JE/4	. //-
	Hole below casing: 5				_
17. Stati	ic level <u>95</u> ft. below cas	ing top which	ch is/		R.
	e ground level. Pumping le	vel <u>/45</u> ft.	. when pu	mping	at 42
gpm	for2_ hours.			-	•
18.	FORMATIONS PASSED THROU	JGH	THICK	NESS T	EPTH OF
18.	44	···	3	5-1	.5
SHALL	£	···	10	5	170
SHALL	E LLIME SHEL	LS THIN	6	0	170
- .			•	ا مح	175
-	RICK	······································	3		215
	· · · · · · · · · · · · · · · · · · ·				
LIME	<u> </u>	·	1 3	8	230
CLAY	·				235
LIME		•	5 6	<u> </u>	285
SAM	D STONE	MEGRANIA	+46		उँ व्यक्
TCON TIN	US ON BEPARATE SHEET IF	NECESSARY)	<u>. </u>		 ·

SIGNED Francisco DATE 5-18-68



FILL IN ALL PERTINENT INFORMATION REQUESTED INDIANAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER H ... TH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well			<i>V</i> -
	a. Dug	Bored Ho	le Dian <u> </u>	. Depth fit.
	Cam materia	al Di	nried Stab: 162	No
				Depthft.
				In Rock
		Gravel Pa	cked	
	d. Grout:	(KIND)	FROM (Ft.)	TO (Ft.)
		Outling		120
		anny		1062
	•			<u></u>
2.	Distance to Ne	rest:		
	Building		Seepage Tile Fie	ıld
	Cess Pool			iron)
•	Privy		Sewer (Cast Itan))
	Septic Tank		Barnyard	
	Leaching Pit _		Manure Pile	•
3		water for human	consumption? V	s__ No
J. 4	Date well come	leted	-74 - 83	
5.	Date werr comp	neted	Date 10/3	1 183 No
J .	Manufactures 2	The Color To	pe Local	tion 14 a 00
	Consider 10	Denth of	Solding	E.
2	Well Top Seeler	_gpm. Deput of	Terro AC	FL.
D. 7	Distance Administration	ir ies <u>. i. 1</u> 110 Isaidladž Va		1
,.	Manufactures		Model Nucle	er
	Now attached to	d? Yes X	otten	
). `	Well Disinfecte	dr ies	_NO	N1 -
J.	Lamb and Eduil	oment Disinfecte	di Tari	No
J.	Pressure Tank	Size de gal.	Type Seff	NI/III
	Location	intain in	<u> </u>	
		ibmitted? Yes	No	
E	MARKS:	· · · ·	ē.	,
		:		

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Proper	rty owner KALDIAT		Miss	<u>.</u> We	:11 14C). <u> </u>		<u> </u>
Addre	58 / 1/2 ///	/	1 / /1	3	1 1	1.	رَ مُذِي	_
	1 hours Taxi	- سيد ۽	Licen	se N	lo	73	. 7.4	_
11. Permi	1 No. 109027	<u>/</u>	Date _		· · · · · ·	<u>:: </u>	<i>7</i> - 3	_
12. Water	from Americano	4	. 13. Coù	nty.		بمركب	بينير	
et den	th 56 to 160 ft.		Sec		2.1	ball		
	: Diamin.				3N	, .	 	-
	h:ft. Slot		_		18.	- 1	+ -	
	,		Ele			<u> </u>	1-1-1	_
15. Casin	g and Liner Pipe						<u> k</u>	_
Diam. (in.)	Kind and Weight		From (Ft.)	To	(Ft.)	Lo	SHOW I	N
5	=7/97/16		0			BEC	TION PL	AT
				Γ"		SE	SUSE	
}		 }-		┢─				
<u> </u>	<u> </u>		<u>-,</u>	L				
	lole below casing:		in.					
	levelft. below							
gpm fo	ground level. Pumping orhours.	g level	ft.					
gpm fo	ground level. Pumping	g level	ft.	. wh	en pu		g at	_
gpm fo	ground level. Pumping orhours.	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping orhours.	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping orhours.	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping orhours.	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping orhours.	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level	ft.	. wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping in hours. FORMATIONS PASSED THE SOCIAL MARKET PASSED THE PASSED THE SOCIAL MARKET PASSED THE PASSED THE SOCIAL MARKET PASSED THE SOCIAL MARKET	g level		wh	en pu	mpin	g at	_
gpm fo	ground level. Pumping or hours. FORMATIONS PASSED TH	g level		wh	THICK	IMPIN	g at	_
gpm fo	ground level. Pumping in hours. FORMATIONS PASSED THE SOCIAL MARKET PASSED THE PASSED THE SOCIAL MARKET PASSED THE PASSED THE SOCIAL MARKET PASSED THE SOCIAL MARKET	g level		wh	en pu	IMPIN	g at	_

White Capy — Ill. Dept. of Public ries th Yellow Capy — Well Contractor Blue Capy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH-WELL CONSTRUCTION REPORT

8.	i Dra	Rored No.	la Di-	n. Depthft.
	Curb materi	no.	ried Sieh: Vee	No
•	b. Driven	Drive Pine	Diem in	. Depthft.
	c. Drilled X	Finished i	n Drift	In Rock X.
	Tubuler	Gravel Pa	cked	
•	d. Grout:			
		(KIND)	PROM (Fi.)	70 (FL.)
	-	Benton, te		
••		brillextla	+/	575'
		7		
•) - Brann a 41 90		:	
4	Distance to Ne	crest:		Man o
	Building	71FL	eepage Tile Fi	eld
	Cess Pool		Sewer (non Cast	iron)
	Privy			/
	Septic Tank Leaching Pit		garnyard	7,
•	Leaching Pit_	water for human		
3.	Mell Lituisues	water for human	consumption! I	62\ <u>\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \</u>
4.	Date well comp	leted April	A-7701	17
3. .	Permanent Pum	p installed? Yes	Date	No_ <i>No_</i>
	Manufacturer	TyI	eLoca	tion
	Capacity	_gpm. Depth of	Setting	Ft.
- Oi 	Mell 10b Segle	ar resNo.	TAbe A.	mpression.
7.	Manufactures	trustaffedt 1.6		
	How etteched	o casing?	Model . Main	DET
8.	Well Disinfects	d? Yes	No	· · · · · · · · · · · · · · · · · · ·
9.	Pump and Earli	pment Disinfecte	d? Yes	No
10.	Pressure Tonk	Sizegal.	Type	
	Location			
11	Water Sample S	ubmitted? Yes	No	<u> </u>
	MIDYC.			
	26 lingth	21-41-55	7-8" MOIE	esis-pry
	1 Light	19111 19	Barret B	elises!
	1 perce		1 3 1	II Shee
	Gapipe in	Well 576		loring
	//		. · ·	
	PH 4.065	Jourte #	Jen Je	permitt
1/	74 - KNB-1	surregg	42929	• • •

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Property owner Charles and Te	TA TELL	Mail No.		· · · · · · · · · · · · · · · · · · ·
Address 1428-24th 64	Peru-II	بي		
Driller Heads Martin	Ļicens	e No. I	<u> 2437</u>	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
11. Permit No. 129945	Date 🚣	Yaroh	1277	84
12. Water from LIME Stone	13. Com	aty <u>L25</u>	<u> </u>	
at depth 10 7/0 ft.	Sec.	29/e	·FT	
14. Screen: Dicmin.		. 33 N		
Length:ft. Slot	Rge	. <i></i>		
	Elev	· ——	1=	
15. Casing and Liner Pipe		· · · · · · · · · · · · · · · · · · ·	متناختا	اسلسا
Diem. (in.) Rind and Weight	Prop.(Ft.)		LOCAT	ION IN
6" Wt Steel 1935	+1	576'R	lon' L	L costal
			1-0 70 SE SE	-
		•	3 C 3 C	:
16. Size Hole below casing:	la.	•		• •
17. Static level 1/5 ft. below cast	ng top which	h is	<u>/</u>	ft.
above ground level. Pumping lev	oi <i>120</i> ft.	when pur	ping at	20
gpm for 4 hours.		•	,	
18. FORMATIONS PASSED THROUGH	M	THICK	See DE	7748°
18. FORMATIONS PASSED THROUGH	2H	THICK		5 '
10.	286	THICKN 5	1	
C/ay	NH.	ی	1	5'
C/av Sank		5 10 38 17'	/ . / .	5' 15'
Clay Sand Gray Clay Hard Gravel and Clay Shale Gray 30 F C	<u> </u>	ی	, ,	5' 15' 53'
Clay Sand Gray Clay Hard Gravel and Clay Shale Gray 30 FC Shale Gray Hard	(osly).	5 10 38 17'	, ,	5' 15' 53'
Clay Sand Gray Clay Hard Gravel and Clay Shale Gray 30 FC Shale Gray Hard	(osly).	5 10 38 17'	'	5' 15' 53'
Clay Sand Gray Clay Hard Gravel and Clay Shale Gray 30 F C	(orly)	5 10 38 17' 15	(, , , , , , , , , , , , , , , , , , ,	5' 15' 53' 70' 70'
Clay Sant Gray Clay Hard Gravel and Clay Shale Gray 30FC Shale Gray Hard Lime Stone and Red Cl	(oily)	5 10 38 17' 15 85	, , , , , , , , , , , , , , , , , , ,	5' 15' 53' 70' 70' 70'
Clay Sand Gray Clay Hard Gravel and Clay Shale Gray 30 FC Shale Gray Hard Limestone and Red Clay Limestone and Gray 3h	(orly) lak ale	5 10 38 17' 15 85 25 350 350	, , , , , , , , , , , , , , , , , , ,	5' 15' 53' 70' 70' 75' 75'
Clay Sank Gray Clay Hard Gravel and Clay Shale Gray 30 FC Shale Gray Hard Limestone and Red Clay Limestone (Solia) Har	(OIIY) IZV ofe od MECENSARY	5 10 38 17' 15 85 25 350 350	, , , , , , , , , , , , , , , , , , ,	5' 15' 53' 70' 70' 75' 75'

kime stone Turned White 816' began Makin Water

INSTRUCTIONS TO DRILLERS

White Copy —
III. Dept. of Put II — Ith
Yellow Copy — Well Co... actor
Blue Copy — Well () wher

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM 616, STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

	Cur) materia b. Driven c. Drilled <u>*</u> Tubular	al Bu Drive Pip Finished	ole Diam. 5in pried Slab: Yes_ e Diamin. in Drift cked	Noft.
	d. Groat:	(KIND)	FROM (Ft.)	TO (Ft.)
•		Cuttings		
•	Cess Pool Privy Septic Tank Leaching Pit	50 Ft.	Seepage Tile Fie Sewer (non Cast Sewer (Cast iron) Barnyard Manure Pile ed for human cons	iron)
			t 30, 1973	
4.	Date will comp	leted <u>Augus</u>	<u>1973 </u>	 '
5.	Permanent Pum	pinstalled? Y	es <u> </u>	No
	Congrise 9	gom. Dept	h of setting 1	.05 ft.
6.			No	•
			es No	
			No	
9.	Water Sample S	ubmitted? Yes	N	o_X
RE	MARKS: Owner	r instructed	to take samp	ole.
	•	RECEIVE	D	
ID	P11 4.06:	APR 1 9 199	91	
. 10	/68	IEPA/DLPC	· •	

0. Proper	ty owner Richard Coo	ok	Well No.	
Addre	ss R.R. #1 Ogle	esby, Illin	oi <u>s</u>	
Drille	. K & K Well Uril	ling Licens	se No. 102	27
11. Permi	No. <u>25005</u>	Date _	Augst 22	<u>. 1973</u>
2. Water	from Limestone Formation	13. Cou		STIB
at dep	th toft.		. 34 kg	
4. Screen	th toft. :: Diamin.	Twi	o. 33N	
Lengt	h:ft. Slot	Rge	. <u>le</u>	
	•	Ele	Y,	}
5. Casin	g and Liner Pipe	•		<u> </u>
Diam. (in.)		From (Ft.)		SHOW LOCATION I
5"	Black 15#	0		ECTION PL
				يش چښي
		I		
7. Static above	ole below casing: 5	asing top which		
7. Static above gpm fo	level 60 ft. below c	asing top which level <u>105</u> ft.		oing at <u>20</u>
7. Static above gpm fo	level <u>60</u> ft. below conground level. Pumping lar <u>4</u> hours.	asing top which level <u>105</u> ft.	. when pum	oing at 20
7. Static above gpm fo	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	oing at <u>20</u>
7. Static above gpm fo	level 60 ft. below conground level. Pumping lar 4 hours.	asing top which level <u>105</u> ft.	THICKNI	Ding at20
7. Static above gpm fo	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	Ding at20
7. Static above gpm fo 8. Overb	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	Ding at20
7. Static above gpm fo 8. Overb	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	Ding at20
7. Static above gpm fo 8. Overb	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	oing at20
7. Static above gpm fo	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	Ding at20
7. Static above gpm fo	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	Ding at20
7. Static above gpm fo	level 60 ft. below conground level. Pumping level.	asing top which level <u>105</u> ft.	THICKNI	Ding at20

DATE August 30, 1973

INSTRUCTIONS TO

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well a. Dug Bored Hole Diam. 24 in. Depth 3/ft. Curb material Burled Slab: Yes No b. Driven Drive Pipe Diamin. Depthft. c. Drilled Finished in Drift In Rock Tubular Gravel Packed d. Grout:
•	(KIND) FROM (Ft.) TO (Ft.)
	Distance to Nearest: Building 20 Ft. Seepage Tile Field 95 Cess Pool Sewer (non Cast iron) Privy Sewer (Cast iron) Septic Tank 84 Barnyard Leaching Pit Manure Pile
3.	Well furnishes water for human consumption? Yes A No
4.	Date well completed
5.	Permanent Pump Installed? Yes L. Date 11-11-86 No
6.	Well Top Sealed? YesNoType
7.	Pitless Adapter Installed? Yes A. No No
۵.	Well Disinfected? Yes No
9.	Pump and Equipment Disinfected? Yes No
	Pressure Tank Size <u>42</u> gal. Type <u>CHILIR HA</u> Location <u>6/37</u>
I. REI	Water Sample Submitted? YesNo IARKS: Cauself # 23395

GEOLOGICAL AND WATER SURVEYS WELL RECORD

Ad De	dres:	RUBERT	SUITERI	- Licen	e No.	92-	13925	-
D.	1	$N_{-} = 12/33$?si	D-t-	10-10-6	il:-		-
2. Wa	ler b	om <u>CIRU</u>	1RL	13. Cou	nly —	44	car	مار کے
					9		111	آ
		1			31N		╂╼╂╼╂╸	-1
		ft. Slot					1	
	.				·	:	 	4
i. Ca	sing	and Liner Pip	•				X	٤
) iém. (a.)	Kind and	Volght	Prom (Ft.)	To (FL)		CATION II	
24	<u>'</u>	Concret		10	.3/		TION PLA Sa)	AT
					-			•
7. Sta abo	ntic l ove g	le below casinevel	below casi Pumping lev	ng top which	when pu	mping	j al	
7. Sta abo gp:	ntic l ove g	evel <u> </u>	below casi Pumping lev	ng top which	when pu	mping	DAPTILO BOTTOM	
7. Sta abo gp:	ntic l ove g	evelft. round level. F hours.	below casi cumping lev	ng top which the second	when pu	mping	j al	
7. Sta abo gp:	ntic l ove g	evel	below casi Pumping lev	ng top whi elft	THICK	mping	j al	
7. Sta abo gp:	tic l	round level. F hours. TOP S Yikkeyy	below casi Pumping lev SED THROUGH	ng top while it.	THICH	ME93	DAP THE O	
7. Sta abo gp:	tic l	round level. It hours. TOP S YILLOW CRIMO	below casi Pumping lev SED THROUGH	ng top whi	THICK	HE03	DAPTH OF BOTTON	
7. Sta abo gp:	tic l	round level. F hours. TOP S Yikkeyy	below casi Pumping lev SED THROUGH	ng top whi	THICK	MEOS	DAP THE OF TON	
7. Sta abo gp:	tic l	round level. It hours. TOP S YILLOW CRIMO	below casi Pumping lev SED THROUGH	ng top whi	THICK	MEOS	DAPTH OF BOTTON	
7. Sta abo gp:	tic l	round level. It hours. TOP S YILLOW CRIMO	below casi Pumping lev SED THROUGH	ng top whi	THICK	MEOS	DAPTH OF BOTTON	
7. Sta abo gp:	tic l	round level. It hours. TOP S YILLOW CRIMO	below casi Pumping lev SED THROUGH	ng top whi	THICK	MEOS	DAPTH OF BOTTON	
7. Sta abo gp:	tic l	round level. It hours. TOP S YILLOW CRIMO	below casi Pumping lev SED THROUGH	ng top whi	THICK	MEOS	DAPTH OF BOTTON	
7. Sta abo	tic l	round level. It hours. TOP S YILLOW CRIMO	below casi Pumping lev SED THROUGH	ng top whi	THICK	MEOS	DAPTH OF BOTTON	
7. Sta abo gp:	ntic I	round level. It hours. TOP S YILLOW CRIMO	below casi Pumping lev SED THROUGH	ng top whi	THICH	MEOS	DAPTH OF BOTTON	

White Copy —
III. Dept. of Pu : Health
Yellow Copy — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION REQUE DAND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

	b. Driven c. Drilled Tubulær	Finished	in Drift	In Rock
	d. Grout:	(KIND)	FROM (FL)	TO (Ft.)
			 	
			 	
) <u>L.</u>			<u> </u>
2.	Distance to Negrest:		•	
	Building	Ft.	Seepage Tile Fi	eld
	Cess Pool		Sewer (non Cast	iron)
	Privy	·)
	Septic Tank		Barnyard	
	Leaching Pit		Monure Pile	
3.	Well furnishes water	for human	consumption? Y	es <u>X</u> No
Į.	Date well completed.	5/	<u> 2/78 </u>	
5.	Permanent Pump Inst	alled? Yo	esDate	No_X
	Manufacturer	T	ypeLoco	tion
	Capacitygpm.	Depth of	Setting	Ft.
j.	Capacitygpm. Well Top Sealed? Ye	s_X_N	Type <u>V</u>	ented cap
7.	Pitless Adapter Insta Manufacturer <u>Bak</u>	dled? Y	es X No_	
	Manufacturer Bak	er	Model Num	ber <u>5PLT6P12</u> W
	How attached to casi	ng?	clamp-	on
) .	Well Disinfected?			
	Pump and Equipment			
	Pressure Tank Size_			
•	Location		- 18 -	
l.	Water Sample Submitt	ed? Ye	No :	K ·
~	MARKS:			

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Property owner
Address 2705 St. Vincent LaSalle, III, Driller Steven Sauder License No. 92-622 11. Permit No. 73795 Date 5/2/78 12. Water from vellow gravel 13. County LaSalle at depth 11 to 12 ft. Sec. 3 14. Screen: Diam. — in. Twp. 33N Lergth: ft. Slot Rge. 1R Elev. 15. Casing and Liner Pipe Diam. (in.) Eind and Weight From (Ft.) To (Ft.)
Driller Steven Sauder License No. 92-622 11. Permit No. 73795 Date 5/2/78 12. Water from vellow gravel 13. County LaSalle Formation vellow gravel 13. County LaSalle at depth 11 to 12 ft. Sec. 3 Length: ft. Slot Rge. 1E Elev. 15. Casing and Liner Pipe Dism. (is.) Eind and Weight From (Ft.) To (Ft.) 24 Concrete 10 48 16. Size Hole below casing: in. 17. Static level ft. below casing top which is ft. when pumping at gpm for hours. 18. FORMATIONS PASSED THROUGH THICKNESS DEPTHOF SOTTOM Clay- yellow 11 11 11 gravel - yellow 1 12 clay- gray, green 13 25
at depth 11 to 12 ft. Sec. 3
at depth 11 to 12 ft. 14. Screen: Diam in. Length:ft. Slot Rge. 1E
at depth 11 to 12 ft. 14. Screen: Diam in. Length:ft. Slot Rge. 1E
Length:ft. Slot Rge. 1E
Diem. (in.) Eind end Weight From (Ft.) To (Ft.)
15. Casing and Liner Pipe Digm. (in.) Kind and Weight From (Ft.) To (Ft.) 6
Diem. (in.) Eind end Weight From (Ft.) To (Ft.)
10 10 15 10 15 10 15 10 15 10 10
24 concrete 10 48 16. Size Hole below casing: in. 17. Static levelft. below casing top which is ft. above ground level. Pumping levelft. when pumping at gpm forhours. 18. FORMATIONS PASSED THROUGH THICKNESS DZPTH OF BOTTOM Clay- yellow 11 11 gravel- yellow 1 12 clay- gray, green 13 25
16. Size Hole below casing: in. 17. Static level ft. below casing top which is ft. above ground level. Pumping level ft. when pumping at gpm for hours. 18. FORMATIONS PASSED THROUGH THICKNESS DEPTHON EOTYON Clay- yellow
17. Static levelft. below casing top which isft above ground level. Pumping levelft. when pumping at gpm forhours. 18. FORMATIONS PASSED THROUGH Clay- yellow Clay- yellow 11 11 gravel- yellow 1 12 clay- gray, green 13 25
17. Static levelft. below casing top which isft above ground level. Pumping levelft. when pumping atgpm forhours. 18. FORMATIONS PASSED THROUGH THICKNESS DEPTHON BOTTOM 11 11 11 gravel - yellow 1 12 25 25
above ground level. Pumping levelft. when pumping at gpm forhours. 18. FORMATIONS PASSED THROUGH THICKNESS DEPTH OF BOTTON clay- yellow 11 11 gravel- yellow 1 12 clay- gray, green 13 25
18. FORMATIONS PASSED THROUGH Clay- yellow gravel- yellow clay- gray, green THICKNESS DEPTH OF BOTTOM 1 12
clay- yellow1111gravel- yellow112clay- gray, green1325
gravel- yellow 1 12 clay- gray, green 13 25
gravel- yellow 1 12 clay- gray, green 13 25
shale- red 10 35
shale- gray, white, powdery 13 48

1D 4.065 1/74 - KNB-1 White Copy — III. Dept. of Public Health Yellow Copy — Well Contractor Blue Copy — Well Owner

INSTRUCTIONS TO PILLERS

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well			
	a. Dug	Bored H	iole Diam. <u>5</u> ir	. Depth_ <u>50</u> ft.
	Curb mater	lal E	Buried Slab: Yes_	No
	b. Driven	Drive Pi	pe Diamin.	Depthft.
	c. Drilled	Finished	in Drift	In Rock
		Gravel P	acked	
	d. Grout:	(KIND)	FROM (FL)	TO (FL)
		Cuttings		
2.	Distance to Ne			
			Seepage Tile Fie	:ld
	Cess Pool	 	Sewer (non Cast	iron)
•	Privy Septic Tank)
	Septic Tank	<u></u>		
	Leaching Pit_			
3.	Well furnishes	water for human	consumption? Y	es_ X No <u></u>
	Date well com			
5.			es X_Date <u>9-13</u>	
			ype <u>Subae</u> Loca	
•			f Setting38_	
			оТур е_Ма	
7.			'es No	
	Manufacturer _1	<u>fartingon</u>	Model Numl	perSP10
			lted	
8.	Well Disinfect	d? YesX_	No	•
9.	Pump and Equi	pment Disinfect	led? Yes_X_	.No
10.	Pressure Tank	Size_ <u>42gal</u>	. Type <u> </u>	<u>aire</u>
	Location	<u>basement</u>		
	Water Sample S MARKS:	ubmitted? Ye	sNo	<u> </u>
	OWNER 1	nstructed t	o take sample	

GEOLOGICAL AND WATER SURVEYS WELL RECORD

10. Proper	ly owner B. J. Strozew	<u>ski</u>	. Well No	٠	
Addres	. 813 Creve Coeur.	<u>la Salle.</u>	<u> 11 61</u>	301	
Driller	Phil Knierin	Licen	se No	102	84
11. Permit	No. <u>94659</u>				
12. Water	from Shale	13. Cou			<u> </u>
	th 45_ to50.ft.	Sec	22. ^{[3}	<u>~</u>	
14. Screen	: Diamin.	Twi	, 33N	. —	
	n:ft. Slot		. <u>lr</u>	┇┋	
	. •	Elë	v		
15. Casing	and Liner Pipe				
Diem. (in.)	Kind and Weight	From (Ft.)	To (Ft.)	١.,	WI WOLLY
5	Steel	0.	43.	SEC	MON PLAT
1	0000		- 7.	<i>SE</i> 5	WSE
ļ					
L		<u> </u>			
	ole below casing:5_				
	level 23 ft. below cas				
	ground level. Pumping lev	rel_23 ft.	when pu	paiqu	at_20
dbw to	r <u>4</u> hours.				
		·			·
18.	ORMATIONS PASSED THROU	GH	тыск	NESS	DEPTH OF BOTTOM
18. Top Soi	PORMATIONS PASSED THROU	СН	ТНІСІ		DEPTHOF FOTTOM
10.	PORMATIONS PASSED THROU	GН			
Top Soi	PORMATIONS PASSED THROU	GH	4:		1
Top Soil	PORMATIONS PASSED THROU	GH	4:	2 2	1 43 45
Top Soi	PORMATIONS PASSED THROU	GH	4:	2 2	1 43
Top Soil	PORMATIONS PASSED THROU	GH	4:	2 2	1 43 45
Top Soil	PORMATIONS PASSED THROU	GH	4:	2 2	1 43 45
Top Soil	PORMATIONS PASSED THROU	GH	4:	2 2	1 43 45
Top Soil	PORMATIONS PASSED THROU	GH	4:	2 2	1 43 45
Top Soil	PORMATIONS PASSED THROU	GH	4:	2 2	1 43 45
Top Soil	PORMATIONS PASSED THROU	GH	4:	2 2	1 43 45
Top Soil Clay Rook Shale	PORMATIONS PASSED THROU		4:	2 2	1 43 45
Top Soil Clay Rook Shale	PORMATIONS PASSED THROU	NECESSARY	4:	2 2 5	1 43 45 50
Top Soil Clay Rook Shale	PORMATIONS PASSED THROU	NECESSARY	4:	2 2 5	1 43 45 50
Top Soil Clay Rook Shale	PORMATIONS PASSED THROU		4:	2 2 5	1 43 45 50

White Cop:
III. Dec Public Health
Yellow Ct. — Well Contractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT INFORMATION RECUESTED AND MAIL ORIGINAL TO STATE DE-PARTMENT OF PUBLIC HEALTH, ROOM L STATE OFFICE BUILDING, SPRINGFIELD, ILLINOIS, 62706. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

	b. Driven X c. Drilled	Drive Pi	ole Diamir Buried Slab: Yes_ pe Diam3in. in Drift95. acked	NoNo
•		(KIND)	FROM (Ft.)	TO (Ft.)
2.		△Ft.	Seepage Tile Fig	
	Privy		Sewer (non Cast Sewer (Cast Iron Barnyard	iron)
	Leaching Pit		Manure Pile	
3.	Yes	s well to be u	sed for human con	sumption?
4. 5.	Permanent Pump	Installed?	Yes	No X
	Manufacturer	gpm. Der	Typeoth of setting	No X
6.	Well Top Sealed	Yes	No	<u></u>
			Yes N No	
9.	Water Sample Sul	omitted? Ye	No N	10_X
E	MARKS: 5"	DAIVE	PIPE W	AS DAIVE

FROM SURFACE TO 82' THE SMALL ANNULAR SPACE WAS FILLED WITH BENONITE & CUTTINGS

GEOLOGICAL	WATER	SURVEYS	WATER	WELL.	RECORU
ULULUUIUNL			nnami	""	

GEULU	GICAL WAIER SURV	CIO MVIE	'U ACT	r u	ECOND	
Address Driller 12. Water s at deposite the screen Length	Mines and Minerals permit ty owner May GARLS SALES BY IA CHAS, E. WOOD RI from SALVI L. CAAL Formation th 85 to 95 ft. Diamin. ft. Slotin.	LEE Licens LICENSELISE Cou Sec. Twp	well No. 9. nty A. A. 22- 1-4-6	ER		
15. Casing	and Liner Pipe				<u> </u>	
16. Size H 17. Static above	Rind and Weight TAC. BLM /4" PLE W // # PERIORATED ole below casing: level 44 ft. below cas ground level. Pumping le r hours.	sing top which	82 95 ch is_	SE	EHOW CATION I FION PL	AT N/A
18.	PORMATIONS PASSED THROU	UGH	THICK	N E 85	DEPTH O	F
CLA	+ CRAVEL			150	25	-
CKND.	FURAVEL		17	Ø	95	<u>-</u>
(CONTINUI	ON SEPARATE SHEET IF	NECESSARY)				
0	N Q1		•			_

White Copy—
Iti, Dout, of Public Health
Yellow Copy—Well Contractor
Blue Copy—Well Owner

INSTRUCTIONS J DRILLERS

FILL IN ALL PERTINENT INFORMATION REQUESTED AND MAIL ORIGINAL TO STATE DEPARTMENT OF PUBLIC HEALTH, CONSUMER HEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

GEOLOGICAL AND WATER SURVEYS WELL RECORD

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

		10. Prope	erty owner <u>FIGBERT 5.C.</u>	HALLE	Well No. 🚅	<u> </u>
1.	Type of Well	Addre	PKRV			
	a. Dug BoredX. Hole Diam. 24 in. Depth 44 ft.	Drille	er ROBIERT SCHKIL	E License	No2:/2	<u> </u>
	Curb material Buried Slab: Yes No No	11, Perm	it No. 78824	Date	8-51-2	<u>\$*</u>
	b. Driven Drive Pipe Diamin. Depthit.	12. Water	from CADVEL	13. Count	4 - 617 54	26.616
	c. Drilled Finished in Drift In Rock		pth 35 to 38 ft.	Saci	187	
	Tubular Gravel Packed		n: Dieunin.			
	d. Grout: (KIND) FROM (Ft.) TO (Ft.)		th:ft. Slot	Ťwp.	111	
	(RIND) FROM (FL)	Leng		•	i	
		15. Casir	ng and Liner Pipe	. Liev.		
				i i ii ii i		SIKIW
		Diam. (in:)	· 	From (F1.)		CATION IN TION PLAT
2.	Distance to Nearest:	24	Correrete	12		vui su
	Building 40 Ft. Seepage Tile Field 100		\			
	Cess Pool Sewer (non Cast iron)			l I]	
		16. Size	lole below cusing:	in.		
	Privy Sewer (Cast iron) Septic Tank Barnyard		level 18 It. below casi		ia /	ft.
	Leaching Pit Manure Pile		ground level. Pumping lev			
3.	Well furnishes water for human consumption? Yes 🔏 No		or hours.			,
4.	Date well completed 9-2-28				,	
5.	Permanent Pump Installed? YesDateNo	18.	FORMATIONS PASSED THROUG	;;;t	THICKNESS	HUTTOM
	Manufacturer Type Location		TOP SOLL		/	
	Copacitygpm. Depth of SettingFt.		TOP 301L	 -	 	
6.	Well Top Seuled? YesNoType		XELLOW CLAY		14	15
7.	Pitless Adapter Installed? Yes X No.		SUFT BLUE S.		20	32
	Manufacturer R 1716 EA Model Number 52-10 P1:2WW				~6	
	How attached to casing? <u>C. L/3/4PLO</u>		GRAVKL		3	22
	Well Disinfected? YesNo		RED SHALK		6	4/4
	Pump and Equipment Disinfected? YesNo		Hee Inne		 	
10.	Pressure Tank Sizegal. Type	•			<u> </u>	<u></u>
	Location	•			l i	
	Water Sample Submitted? YesNo				 	
RE	MARKS:					
	•				1	
		CONTIN	UE ON SEPARATE SHEET IF	NECUROLDA		
				MECESKAPAI		
		(CONTINU	With a holy			

IDPH 4.065 1/74 - KNB-1 White Copy —
III. Dept. of Public h
Yellow Copy — Well C. intractor
Blue Copy — Well Owner

FILL IN ALL PERTINENT IS RMATION REQUE
DEPARTMENT OF PUBLIC HEALTH, CONSUMEN MEALTH PROTECTION, 535 WEST
JEFFERSON, SPRINGFIELD, ILLINOIS, 62761. DO NOT DETACH GEOLOGICAL/WATER
SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

DISTRUCTIONS TO DRILLERS

ILLINOIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

1.	Type of Well			
				. Depth_ <u>77</u> ft.
	Curb moterio	ıl Bu	ried Slab: Yes_	No
	b. Driven	Drive Pipe	Diganin.	Depthft.
	ć. Drilled	rinisneqi	n Driit	in Rock
		Gravel Pa	cked	
	d. Grout:	(KIND)	PROM (Ft.)	TO (Ft.)
		Puddled		
		Clay	0	57
•	D: A A A			
_	Distance to Nec			1.1
	Building		Seepage Tile Fig	
	Cess Pool		Sewer (non Cast	
	Privy Septic Tank	· · · · · · · · · · · · · · · · · · ·)
	Leaching Pit_		Manure Pile	
3				es_X_No
4	Date well comp	leted	consumption: 1	
5.	Permanent Pum	p Installed? Yes	s Date	No_X
	Manufacturer	Туј	peLoca	tion
				Ft.
6.				
7.		Installed? Ye		
	Manufacturer	· · · · · · · · · · · · · · · · · · ·	Model Numl	ber
_	How attached to	casing?		
		d? Yes X		•
		ment Disinfecte		
10.	ressure (ank.)	Sizegal.	Туре	
31	Weter Service S.	ubmitted? Yes	N-	
	MARKS:	muitteá: 162		
	(116)	1.14.2334	· .	
		1	•-	
	•			

GEOLOGICAL AND WATER SURVEYS WELL RECORD

Addre	SIGOD BINTOR	it	N-	102	-120
Drille	118454	Licen	se No		
i. Perm !. Water	it No. 118454 frock	Date _	intv]	JaSa	lle
			292		1 1 1
	pth GO to 777 ft.	Sec	3311	نے ا	
	n: Diconin. ih:ft. Slot	l w	1E	-	
Leng	ια:π. 3ιοι	nge Ele		- L	
. Caşir	ng and Liner Pipe	. Lie	v	_	
lam. (in.)	Kind and Weight	From (Ft.)	To (Ft.)	Lo	VOHE NOÎTĂO
5	steel	0.	57	SEC.	TION PLA
				رو <u>۔</u> [1121 25
<u></u>			 	1	
/. Static	Hole below casing:	asing top whi	ch is	1 13 umpine	f
7. Station above gpm i	e level <u>35</u> (t. below c ground level. Pumping	asing top whi levelf	. when p	1:: umping	
Station above gpm i	e level	asing top whi levelf	THIC	umpin	g atfi
7. Static above gpm i 3.	e level <u>55</u> (t. below c ground level. Pumping or <u>1</u> hours.	asing top whi levelf	THIC	KN X08	DEPTH OF BOTTOM
Static above gpm i yelle gray	e level	asing top whi levelf	THIC	KN X08	DEPTH OF BOTTOM
J. Static above gpm i J. yelle gray	clevel	asing top whi levelf	THIC	KN X08	18 19
yellogray brown sand gray	clevel	asing top whi levelfl	THIC	18 1	18 19 21 22 37
yelle gray brown sand gray sand	clevel	asing top whi levelfl	THIC	18 1 2 1 5	18 19 21 22 37
yellogray brown sand gray sand gray	clevel	asing top whi levelfl	THIC	18 1	18 19 21 22 37 43 52
yello gray brown sand gray sand gray brown	clevel	asing top whi levelfl	THIC	18 1 2 1 5	18 19 21 22 37 43 52
yello gray brown sand gray sandy gray brown sand	clevel	asing top whi levelfl	THIC	18 1 2 1 5	18 19 21 22 37 43 52 55
yelle gray brown sand gray sand gray brown sand brown	clevel	asing top whi levelfl	THIC	18 1 2 1 5	18 19 21 22 37 43 52

2 Copy — Each afficient tealth
2 Each afficient tealth
2 Copy — Well Contractor
3 the Copy — Well Owner

FILL IN ALL PERTINDET INFORMA A REQUESTED AND MAIL OXIGINAL TO STATE DEPARTMENT OF BUSING REALTH, CONSUMER MEALTH PROTECTION, 535 WEST JEFFERSON, SPRINGFIELD, ILLIHUIS, 62761. DO NOT LETACH GEOLOGICAL/WATER SURVEYS SECTION. BE SURE TO PROVIDE PROPER WELL LOCATION.

ILLINGIS DEPARTMENT OF PUBLIC HEALTH WELL CONSTRUCTION REPORT

•	Type of Well a. Duq Bored,	IJ.	da 191 5 : 1-	D-1120 4
	Curb material		nie Diemin	. Depidit
	Cars radicital		ur:eo 31ab: [75_	
	h. Driven c. Drilled	Drive Pip	e Diamin.	DeuthR
	C. Dillies	L'inieued	in Disti	in Mock
	Tubular	Gravet Po	icxeg	•
	d. Grout:	(KIMD)	PROM (FI.)	TO (Ft.)
•	Cu	ttings		
2	Distance to Nearcst:			·
-	Building 30	Ft	Seepage Tile Fie	14
	Cass Pool		Sewer (non Cast	
	Privv		Sewer (Cast iron)	
	Privy Septic Tank 75		Barnyard	•
	Leaching Pit		Manure Pile	
3.		for human	consumption? Y	es Y No
	Data well completed	10-17	-77	
5.				
	Manufacturer Barrnes			
	Capacity 30 gpm.			
5	Well Top Sealed? Ye			
	Pitless Adapter Insta			
	Manufacturer <u>Willia</u>	ms	Model Numb	er_R50ac
	How attached to casi			
3.	Well Disinfected?			
	Pump and Equipment			
	Pressure Tonk Size_			
•	Location Baseme	nt	quart	
Ĺ.	Water Sample Submitt	ed? Yes	No_X	
	AARKS:			
	4741156			

GEOLOGICAL AND WATER SURVEYS WELL RECORD

	-K & K Well Drilli			
	No62828			
	cm_Limestone	•	·	<u> </u>
at depti	1_35_10_120_11.	Sec.	1.1e	
	Diamit.	_	. 33 <u>%</u>	
Lengta:	ft. Slot		· -1-E	
	and Liner Pipe	Elev		
Diam. (in.)	Xind and Veight	From (Ft.)	To (71.)	SHOW CATION I
5"	Plastic	. 0	40 SEC	TION PL
	···		∫S€	SEN
7. Static la above g gpm for	le below casing: 5 evel 40 ft. below cas round level. Pumping le 4 hours.	sing top which evol_84_ft.	when pumpin	g at _20.
7. Static la above g gpm for	evel <u>40</u> ft. below car round level. Pumping le	sing top which evol_84_ft.		g at _20.
7. Static la above g gpm for	round level. Pumping le 4 hours. RMATIONS PASSED THROU	sing top which evol_84_ft.	when pumpin	g at _20.
7. Static leabove gran for 8.	round level. Pumping le 4 hours. RMATIONS PASSED THROU	sing top which evol_84_ft.	when pumpin	g at _20.
7. Static leadove gran for 8. For Soil	round level. Pumping le 4 hours. RMATIONS PASSED THROU	sing top which evol_84_ft.	THICKNESS	g at 20
7. Static leadove gran for 8. FG Top Soil Sendator Shale (2	evel 40 ft. below car round level. Pumping le 4 hours. PRIMATIONS PASSED THROU	sing top which evol_84_ft.	THICKNESS	g at _20
7. Static leabove gran for 8. For Soil Sendstor Shale (r	evel 40 ft. below car round level. Pumping le 4 hours. PRIMATIONS PASSED THROU	sing top which evol_84_ft.	THICKNESS	DEPTH (BOTTO)
7. Static lands above graph for 8. For Soil Sendston Shale (a Limeston Shale	evel 40 ft. below car round level. Pumping le 4 hours. PRIMATIONS PASSED THROU	sing top which evol_84_ft.	THICKNESS	DEPTH BOTTO
7. Static leabove gran for 8. For Soil	evel 40 ft. below car round level. Pumping le 4 hours. PRIMATIONS PASSED THROU	sing top which evol_84_ft.	THICKNESS 5 9 15	g at _20

IDPH 4.665 1/74 KNB-1